



Acceleration Data Structures for Ray Tracing

Today

- Review & Schedule
- Motivation – Distribution Ray Tracing
- Bounding Boxes
- Spatial Acceleration Data Structures
- Flattening the transformation hierarchy

Last Week:

- Ray Tracing
 - Shadows
 - Reflection
 - Refraction
- Local Illumination
 - Bidirectional Reflectance Distribution Function (BRDF)
 - Phong Model



Schedule

- Wednesday October 1st:
Assignment 3 (Ray Tracing & Phong Materials) due
- Sunday October 5th, 5-7 PM,
Review Session for Quiz 1
- Tuesday October 7th:
Quiz 1: In class
- Wednesday October 15th:
Assignment 4 (Grid Acceleration) due

Questions?

Today

- Review & Schedule
- Motivation – Distribution Ray Tracing
- Bounding Boxes
- Spatial Acceleration Data Structures
- Flattening the transformation hierarchy



Extra rays needed for these effects:

- Distribution Ray Tracing
 - Soft shadows
 - Anti-aliasing (getting rid of jaggies)
 - Glossy reflection
 - Motion blur
 - Depth of field (focus)

Shadows




- one shadow ray per intersection per point light source

point light source



Soft Shadows

- multiple shadow rays
to sample area light
source




Antialiasing – Supersampling


- multiple rays per pixel

point light



jaggies



w/ antialiasing




area light





Reflection

- one reflection ray per intersection



Glossy Reflection

- multiple reflection rays



Courtesy of Justin Legakis. Used with permission.

Motion Blur

- Sample objects temporally







Image removed due to copyright considerations.

Depth of Field

- multiple rays per pixel



Courtesy of Justin Legakis. Used with permission.

Algorithm Analysis

- Ray casting
- Lots of primitives
- Recursive
- Distributed Ray Tracing Effects
 - Soft shadows
 - Anti-aliasing
 - Glossy reflection
 - Motion blur
 - Depth of field

$\text{cost} \leq \text{height} * \text{width} *$
num primitives *
intersection cost *
num shadow rays *
supersampling *
num glossy rays *
num temporal samples *
max recursion depth *
...

can we reduce this?


Questions?

Today

- Review & Schedule
- Motivation – Distribution Ray Tracing
- Bounding Boxes
 - of each primitive
 - of groups
 - of transformed primitives
- Spatial Acceleration Data Structures
- Flattening the transformation hierarchy


Acceleration of Ray Casting

- Goal: Reduce the number of ray/primitive intersections







Conservative Bounding Region

- First check for an intersection with a conservative bounding region
- Early reject




Conservative Bounding Regions

- tight → avoid false positives
- fast to intersect




Intersection with Axis-Aligned Box

From Lecture 3,
Ray Casting II




- For all 3 axes, calculate the intersection distances t_1 and t_2
- $t_{near} = \max(t_{lx}, t_{ly}, t_{lz})$
 $t_{far} = \min(t_{2x}, t_{2y}, t_{2z})$
- If $t_{near} > t_{far}$, box is missed
- If $t_{far} < t_{min}$, box is behind
- If box survived tests, report intersection at t_{near}

Bounding Box of a Triangle




Bounding Box of a Sphere



Bounding Box of a Plane


$$(x_{max}, y_{max}, z_{max}) \\ = (+\infty, +\infty, +\infty)^*$$



$$(x_{min}, y_{min}, z_{min}) \\ = (-\infty, -\infty, -\infty)^*$$

* unless n is exactly perpendicular to an axis


Bounding Box of a Group



$$(x_{max}, y_{max}, z_{max}) = (\max(x_{max_a}, x_{max_b}), \max(y_{max_a}, y_{max_b}), \max(z_{max_a}, z_{max_b}))$$


$$(x_{min}, y_{min}, z_{min}) = (\min(x_{min_a}, x_{min_b}), \min(y_{min_a}, y_{min_b}), \min(z_{min_a}, z_{min_b}))$$

Bounding Box of a Transform




Special Case: Transformed Triangle

Can we do better?



Special Case: Transformed Triangle




Questions?

Today


- Review & Schedule
- Motivation – Distribution Ray Tracing
- Bounding Boxes
- Spatial Acceleration Data Structures
 - Regular Grid
 - Adaptive Grids
 - Hierarchical Bounding Volumes
- Flattening the transformation hierarchy

Regular Grid




Create grid

- Find bounding box of scene
- Choose grid spacing
- grid_x need not = grid_y





Insert primitives into grid

- Primitives that overlap multiple cells?
- Insert into multiple cells (use pointers)





For each cell along a ray

- Does the cell contain an intersection?
- Yes: return closest intersection
- No: continue





Preventing repeated computation

- Perform the computation once, "mark" the object
- Don't re-intersect marked objects




Don't return distant intersections

- If intersection t is not within the cell range, continue
(there may be something closer)



Where do we start?


- Intersect ray with scene bounding box
- Ray origin may be *inside* the scene bounding box



Is there a pattern to cell crossings?

- Yes, the horizontal and vertical crossings have regular spacing

(dir_x, dir_y)



What's the next cell?

if $t_{next_v} < t_{next_h}$

$i += sign_x$

$t_{min} = t_{next_v}$

$t_{next_v} += dt_v$


else

$j += sign_y$

$t_{min} = t_{next_h}$

$t_{next_h} += dt_h$

(dir_x, dir_y)




if ($dir_x > 0$) $sign_x = 1$ else $sign_x = -1$

if ($dir_y > 0$) $sign_y = 1$ else $sign_y = -1$

What's the next cell?

- 3DDDA – Three Dimensional Digital Difference Analyzer
- We'll see this again later, for line rasterization



Pseudo-code

```
create grid
insert primitives into grid
for each ray r
    find initial cell c(i,j), tmin, tnext_v & tnext_h
    compute dtv, dth, signx and signy
    while c != NULL
        for each primitive p in c
            intersect r with p
            if intersection in range found
                return
        c = find next cell
```

Regular Grid Discussion

- Advantages?
 - easy to construct
 - easy to traverse
- Disadvantages?
 - may be only sparsely filled
 - geometry may still be clumped


Questions?

Today


- Review & Schedule
- Motivation – Distribution Ray Tracing
- Bounding Boxes
- Spatial Acceleration Data Structures
 - Regular Grid
 - Adaptive Grids
 - Hierarchical Bounding Volumes
- Flattening the transformation hierarchy

Adaptive Grids

- Subdivide until each cell contains no more than n elements, or maximum depth d is reached





Nested Grids



Octree/(Quadtree)

Primitives in an Adaptive Grid



- Can live at intermediate levels, or
be pushed to lowest level of grid



Octree/(Quadtree)


Adaptive Grid Discussion

- Advantages?
 - grid complexity matches geometric density
- Disadvantages?
 - more expensive to traverse (especially octree)




Bounding Volume Hierarchy

- Find bounding box of objects
- Split objects into two groups
- Recurse




Bounding Volume Hierarchy

- Find bounding box of objects
- Split objects into two groups
- Recurse




Bounding Volume Hierarchy

- Find bounding box of objects
- Split objects into two groups
- Recurse




Bounding Volume Hierarchy

- Find bounding box of objects
- Split objects into two groups
- Recurse




Bounding Volume Hierarchy

- Find bounding box of objects
- Split objects into two groups
- Recurse




Where to split objects?

- At midpoint *OR*
- Sort, and put half of the objects on each side *OR*
- Use modeling hierarchy




Intersection with BVH

- Check subvolume with closer intersection first



Intersection with BVH

- Don't return intersection immediately if the other subvolume may have a closer intersection




Bounding Volume Hierarchy Discussion

- Advantages
 - easy to construct
 - easy to traverse
 - binary
- Disadvantages
 - may be difficult to choose a good split for a node
 - poor split may result in minimal spatial pruning

Today

- Review & Schedule
- Motivation – Distribution Ray Tracing
- Bounding Boxes
- Spatial Acceleration Data Structures
- **Flattening the transformation hierarchy**

Transformation Hierarchy



Questions?

Assignment 4 (due Oct 15th)

- Bounding boxes for primitives
- Regular grid acceleration data structure
- Flatten the transformation hierarchy
- Collect statistics
 - Average # of rays per pixel
 - Average # of ray/primitive intersections per pixel
- Extra Credit: Distribution Ray Tracing
(and anything else from past weeks)

Next Time:

Curves & Surfaces