

INDEX

720 cycle, 117

A

Aboveground storage tank (AGST), 15
Abrasive cleaning, 5
Absorbed glass mat (AGM) battery, 233
AC generators, 241–244
Accelerator pedal position sensor, 168
Accessory drive belt replacement, 245
Adjustable wrench, 45
Advanced cam timing, 460
Air compressor, 64
Air distribution manifolds and nozzles, 298–302
Air drill, 65
Air intake filtration, 313–314
Air operated grease gun, 66
Air pump system, 298
Air ratchet, 65
Air-blow gun, 66
Air-conditioning refrigerant oil disposal, 20
Air–fuel ratios, 138
Airbag handling, 19–20
Alcohol additives, 136–137
Alternative fuels, 141–144, 143
Aluminum blocks, 500–501
Aluminum cylinder head straightening, 383–384
American Society for Testing and Materials (ASTM), 130
Angle between heads, checking the, 562
Anhydrous ethanol, 143
Annealing, 319
Antidrainback valve, 216
Antifreeze can freeze, 186–187
Antifreeze/coolant, 184–185
Antiknock index, 134
API gravity, 151, 152
API ratings, 209
Arithmetic average roughness height (RA), 384
Asbestos, 13–14
Asbestosis, 13
Ash loading, 173
Assembly sealants, 586
Automatic transmission installation, 601
Automotive fuel refining, 129
Aviation tin snips, 53

B

Back flushing a radiator, 202–203
Back pressure, testing, 350
Balance shafts, 547–548
Balancing bosses, 492
Balancing factor, 549–550
Barrel, 88
Battery
 absorbed glass mat (AGM) battery, 233
 AC generators, 241–244
 battery charging, 237–238
 battery load testing, 235–237
 battery ratings, 233–234
 battery service, 234
 battery voltage testing, 235
 bench testing, 241
 cranking circuit, 238–240
 function, 231–232
 jump starting, 238
 specific gravity, 232–233
 starter amperage testing, 241
 starting system troubleshooting, 240
Battery Council International (BCI), 19
Battery handling and storage, 19
Battery hazardous and regulatory status, 18–19
Battery load test, 249
Battery load testing, 235–237
Battery ratings, 233–234
Battery service, 234
Battery voltage testing, 235
Beam-type torque wrench, 46
Bearing clearance, 571
Bearing fatigue, 536
Bearings platter, 68
Bearings, engine
 bearing fatigue, 536
 clearance, 539
 con formability, 536
 construction, 537–539
 damage resistance, 537
 embedability, 537
 manufacturing, 539
 spread and crush, 539–541
Bedplate design blocks, 501–502
Bench grinders, 67

Bench testing, 241
Bench vise, 67–68
Bench/pedestal grinder, 67
Biodiesel, 153–154
Blasters, 365
Bleeding hydraulic lifters, 473
Block, 115
Block cleaning and preparation, 512–513
Block deck, 502
Block manufacturing, 500
Block preparation, 568
Blueprinting, 568
Bob weights, 549
Bolts, 29, 30
Boost control, 330–332
Bore, 121
Boundary lubrication, 208
Box-end wrench, 44
Brake dust and brake shoes, disposal, 15
Break-in precautions, 604
Breaker bar (flex handle), 45
British thermal units, 137
Bronze guide liners, 391
Bump cap, 2
Burping the system, 201
Bypass valve, 216

C

Calibration codes, 111
California Air Resources Board (CARB), 109
Cam bearing, installing, 569–570
Cam chucking, 446
Cam ground pistons, 481
Cam tunnel, 384
Camshaft, 119
 advanced cam timing, 460
 cam chucking, 446
 camshaft belt drives, 445–446
 camshaft chain drives, 444–445
 camshaft drives, 442–443
 camshaft lift, 447–448
 composite camshafts, 441–442
 degreeing the camshaft, 458–461
 design, 439–441
 fuel-pump eccentrics, 442
 hydraulic lifters, 468–469

- installation, 456–458
- lifter preload, 469–471
- lifter rotation, 446–447
- lifters or tappets, 467
- location, 438
- lubrication, 442
- measuring and regrinding camshafts, 456
- mechanical lifter service, 472
- movement, 446
- overhead camshaft, 438
- overhead camshaft valve trains, 452
- problem diagnosis, 438–439
- proper lifter travel, determining, 471–472
- purpose and function, 438
- pushrods, 450–451
- removal, 439
- retarded cam timing, 460
- rocker arms, 448–450
- solid lifters, 467–468
- specifications, 453–455
- spline phaser system, 463
- thrust plate, 446
- timing specifications, 455–456
- valve noise diagnosis, 472
- variable valve timing (VVT), 461–465
- variable valve timing and lift, 465–466
- zinc dithiophosphate (ZDP), 456
- Camshaft bearings, 541–542
- Camshaft belt drives, 445–446
- Camshaft chain drives, 444–445
- Camshaft drives, 442–443
- Camshaft for overhead cam engines, installing, 579
- Camshaft lift, 447–448
- Cap screws, 29
- Capillary action, 37
- Case hardening, 526
- Casting numbers, 111, 502
- Catalytic converter operation, 304–305
- Catalytic converter replacement guidelines, 309
- Catalytic converters, 303
- Catalytic cracking, 129
- Cellulose ethanol, 142
- Cellulosic biomass, 142
- Ceramic monolith catalytic converter, 303–304
- Cetane rating, 151
- Chemical cleaners, 363
- Chemical/microbe cleaning, 5
- Chisels, 54
- Christmas tree clips, 35
- Chromium piston rings, 489
- Clamping force, 563–564
- Clean Air Act (CAA), 13
- Cleaning methods and processes
 - abrasive cleaning, 5
 - chemical/microbe cleaning, 5
 - power washing, 4–5
 - thermal ovens, 5
- Clicker-type torque wrench, 46
- Close-end wrench, 44
- Coal to liquid (CTL), 155–156
- Code of Federal Regulations, 12
- Coil-on-plug ignition, 267
- Cold chisel, 54
- Cold engine, warming up a, 604
- Cold tank cleaning, 364–365
- Combination wrenches, 44
- Combustion, 115, 162
- Combustion chamber, 115
- Combustion chemistry, 137
- Composite camshafts, 441–442
- Compressed natural gas (CNG), 148–149
- Compression ratio, 124
- Compression rings, 487
- Compression test, 174, 342–344, 352–353
- Compressor bypass valve, 332
- Computer-controlled EGR systems, 288–290
- Conformability, 536
- Connecting rod bearing journal, 473
- Connecting rod service, 494
- Connecting rods, 490–493
- Consolidated screening checklist, 23–26
- Controlling NO_x, 286
- Converter-damaging conditions, 305–306
- Coolant dye leak testing, 192
- Coolant flow in the engine, 194
- Coolant recovery system, 191
- Coolant temperature warning light, 199
- Coolants, 18
- Cooling fans, 196
- Cooling jacket, 502
- Cooling passages, 502–503
- Cooling system, 60, 115–116
 - antifreeze can freeze, 186–187
 - antifreeze/coolant, 184–185
 - back flushing a radiator, 202–203
 - burping the system, 201
 - cleaning the radiator exterior, 203
 - coolant dye leak testing, 192
 - coolant flow in the engine, 194
 - coolant recovery system, 191
 - coolant temperature warning light, 199
 - coolant, types of, 185–186
 - cooling fans, 196
 - cooling system design, 180–181
 - cooling system maintenance, 199–201
 - electronically controlled cooling fan, 197–198
 - flush and refill, 201
 - heater core, 198
 - heater problem diagnosis, 198–199
 - high temperature engine problems, 179–180
 - hoses, 202
 - hybrid organic additive technology (HOAT), 186
 - hydrometer testing, 187
 - inorganic additive technology (IAT), 185
 - low-temperature engine problems, 179
 - metric radiator caps, 190–191
 - organic additive technology (OAT), 185
 - overheating, common causes, 199
 - parallel flow system, 194
 - pressure cap, 189–190
 - pressure testing, 191–192
- purpose and function, 179
- radiator, 189
- radiator pressure test, 204
- recycling coolant, 187
- replacing coolant, 187–188
- series flow system, 194
- series-parallel flow system, 194
- surge tank, 190
- testing the thermostat, 183–184
- thermostat replacement, 184
- thermostat temperature control, 181–182
- thermostatic fans, 196–197
- water pump operation, 192
- water pump service, 194–196
- Corrosive, 12
- Cotter pins, 36
- Counterweights, 528–530
- Cover gasket materials, 587–588
- Crack plugging, 368–369
- Crack repair, 367
- Crack-welding aluminum, 368
- Crack-welding cast iron, 367
- Cracking, 129
- Crank throw, 473
- Crankcase ventilation, 294
- Cranking circuit, 238–240
- Crankpin, 473
- Crankshaft
 - case hardening, 526
 - construction, 526–527
 - counterweights, 528–530
 - crankshaft centerline, 524
 - crankshaft oiling holes, 531
 - even-firing 90 degree V6 engine crankshafts, 528
 - externally and internally balanced engines, 530–531
 - five-cylinder engine crankshafts, 527
 - four-cylinder engine crankshafts, 527
 - grinding, 532–533
 - inspection, 531–532
 - journal hardness, 526
 - main bearing journals, 524–525
 - nitriding, 526
 - odd-firing 90 degree V6 engine crankshafts, 527
 - purpose and function, 524
 - rod bearing journals, 525
 - sixty-degree V6 engine crankshafts, 528
 - stress relieving the crankshaft, 534
 - surface finish, 526
 - three-cylinder engine crankshafts, 527
 - thrust bearing, 525
 - tuftriding, 526
 - V-8 engine crankshaft, 527
 - welding a crankshaft, 533–534
- Crankshaft balancing, 553–554
- Crankshaft centerline, 524
- Crankshaft installation, 573
- Crankshaft measurement, 88
- Crankshaft oiling holes, 531
- Creepers, 77

- Crest, 29
 - Crosshatch finish, 510
 - Crowfoot sockets, 46
 - Cups and plugs, installing, 568–569
 - Cutters, 53–54
 - Cylinder bore, checking, 359
 - Cylinder boring, 507–508
 - Cylinder head
 - disassembly of the, 381
 - reconditioning sequence, 382
 - resurfacing, 382–383
 - Cylinder head coolant passages, 380–381
 - Cylinder head flow *versus* horsepower, 429–431
 - Cylinder head preparation, 560
 - Cylinder heads, 115, 375–377
 - Cylinder honing, 508–511
 - Cylinder leakage test, 345–346
 - Cylinder measurement and honing, 514–516
 - Cylinder power balance test, 346
 - Cylinder ridge, removing the, 359–360
 - Cylinder surface finish, 511–512
- D**
- Damage resistance, 537
 - Dampening, 547
 - Dash warning lights, 351
 - Dead-blow hammer, 50
 - Decibels, 3
 - Decking a block, 520–521
 - Decking the lock, 506
 - Deflector valve stem seals, 426
 - Deglazing hone, 509
 - Delta Pressure Feedback (EGR) sensor (DPFE), 291
 - Depth micrometer, 94
 - Detonation, 132
 - Diagonal pliers, 51–5
 - Dial bore gauge, 94
 - Dial indicator, 94
 - Die grinder, 65
 - Dies, 32–33
 - Diesel emission testing, 175
 - Diesel engine construction, 162–163
 - Diesel engines, 161–162
 - Diesel exhaust particulate filter (DPF)
 - diesel particulate filter regeneration, 171–172
 - differential pressure sensor (DPS), 171
 - DPF regeneration, 172
 - DPF service regeneration, 172–173
 - exhaust gas temperature sensors, 171
 - regeneration, 171
 - Diesel exhaust smoke diagnosis, 173–174
 - Diesel fuel, 151
 - Diesel fuel specific gravity testing, 151
 - Diesel injector nozzle operation, 167
 - Diesel injector nozzles, 165
 - Diesel oxidation catalyst (DOC), 169–170
 - Diesel particulate filter regeneration, 171–172
 - Differential pressure sensor (DPS), 171
 - Digital EGR valves, 289
 - Direct injection, 161
 - Distillation, 129
 - Distillation curve, 131
 - Distillation index, 131
 - Distributor ignition, 261–264
 - Door panel clips, 35
 - Double overhead camshaft (DOHC), 119
 - Double-cut file, 53
 - Double-knock, 484
 - Dressing the grinding stone, 418
 - Drive sizes, 46
 - Drive-on ramps, 80
 - Driveability index, 131–132
 - Dry sump system, 224–226
 - Dump valve, 332
 - Dye-penetrant testing, 366
- E**
- E-85, 143
 - E-diesel fuel, 154–155
 - Easy outs, 55
 - EGR valve position (EVP), 288
 - Electrical cord safety, 5
 - Electrical hand tools, 59
 - Electrical system, 603
 - Electronic ignition module, 257
 - Electronic service information, 103
 - Electronically controlled cooling fan, 197–198
 - Embedability, 537
 - Engine air temperature requirements, 314–315
 - Engine balance, 547
 - balance shafts, 547–548
 - balancing an engine, 548
 - balancing factor, 549–550
 - bob weights, 549
 - dampening, 547
 - primary vibration, 547
 - rocking couple, 547
 - rod weighing, 551–553
 - rotating assembly, 550
 - secondary vibration, 547
 - Engine block service, 505–508
 - Engine blocks
 - aluminum blocks, 500–501
 - bedplate design blocks, 501–502
 - block cleaning and preparation, 512–513
 - block deck, 502
 - block manufacturing, 500
 - casting numbers, 502
 - cooling jacket, 502
 - cooling passages, 502–503
 - crosshatch finish, 510
 - cylinder boring, 507–508
 - cylinder honing, 508–511
 - cylinder surface finish, 511–512
 - decking a block, 520–521
 - decking the lock, 506
 - deglazing hone, 509
 - engine block service, 505–508
 - lubricating passages, 503
 - main bearing caps, 503–505
 - monoblock design, 500
 - oil gallery, 503
 - plateau honing, 509
 - Siamese cylinder bores, 502
 - sizing hone, 509
 - sleeving the cylinder, 508
 - Engine classification and construction, 117–119
 - Engine compression, 325
 - Engine condition diagnosis
 - back pressure, testing, 350
 - compression test, 342–344, 352–353
 - cylinder leakage test, 345–346
 - cylinder power balance test, 346
 - dash warning lights, 351
 - engine noise diagnosis, 340–341
 - engine smoke diagnosis, 338
 - exhaust restriction test, 349–350
 - head gasket failure, 350–351
 - oil pressure testing, 342
 - oil pressure warning lamp, 342
 - power balance test procedure, 346–347
 - running (dynamic) compression test, 345
 - vacuum tests, 347–349
 - visual checks, 339–340
 - wet compression test, 344–345
 - Engine construction
 - block, 115
 - cooling system, 115–116
 - cylinder heads, 115
 - fuel system and ignition system, 117
 - intake and exhaust manifolds, 115
 - lubrication system, 116
 - oil galleries, 116
 - rotating assembly, 115
 - Engine disassembly
 - blasters, 365
 - chemical cleaners, 363
 - cold tank cleaning, 364–365
 - crack plugging, 368–369
 - crack repair, 367
 - crack-welding aluminum, 368
 - crack-welding cast iron, 367
 - cylinder bore, checking, 359
 - cylinder head, remove and disassemble the, 361–362
 - cylinder ridge, removing the, 359–360
 - dye-penetrant testing, 366
 - engine removal, 370–371
 - fluorescent-penetrant testing, 367
 - harmonic balancer, removing the, 360
 - hot tank cleaning, 365
 - magnetic crack inspection, 366
 - main bearing and crankshaft, removing the, 361
 - mechanical cleaning, 362–363
 - oil pan, removing the, 359
 - overview, 358–359
 - pistons, removing the, 360
 - pressure testing, 367
 - solvent-based cleaning, 363
 - spray washing, 363–364
 - steam cleaning, 364

thermal cleaning, 364
 timing chain and camshaft, removing the, 360–361
 ultrasonic cleaning, 365
 vapor cleaning, 365
 vibratory cleaning, 365
 visual inspection, 366
 water-based chemical cleaning, 363

Engine displacement, 122–124

Engine installation
 automatic transmission installation, 601
 installation, 60
 manual transmission installation, 600–601
 preinstallation check list, 600
 starter, 601–602

Engine oil additives, 211–212

Engine painting, 590

Engine removal, 357–358, 370–371

Engine rotation direction, 121

Engine smoke diagnosis, 338

Engine stands, 69

Engine start, 603

Engine-driven vacuum pump, 168

English customary measuring system, 87

Environmental Protection Agency (EPA), 12, 109

Ethanol, 136, 142

Ethyl alcohol, 136

Ethyl tertiary butyl ether, 136

European oil ratings, 211

Even-firing 90 degree V6 engine crankshafts, 528

Excessive temperatures, 405

Exhaust gas recirculation passages, 317–318

Exhaust gas recirculation systems, 286
 air distribution manifolds and nozzles, 298–302
 air pump system, 298
 air pump system diagnosis, 302–303
 catalytic converter operation, 304–305
 catalytic converter replacement guidelines, 309
 catalytic converters, 303
 ceramic monolith catalytic converter, 303–304
 computer-controlled EGR systems, 288–290
 controlling NO_x, 286
 converter-damaging conditions, 305–306
 crankcase ventilation, 294
 Delta Pressure Feedback (EGR) sensor (DPFE), 291
 diagnosing a defective system, 292–294
 diagnosing catalytic converters, 306–308
 digital EGR valves, 289
 EGR valve position (EVP), 288
 linear EGR, 290
 OBD-II catalytic converter monitor, 308
 OBD-II catalytic converter performance, 305
 OBD-II EGR monitoring strategies, 290–292
 orifice-controlled systems, 295
 PCV monitor, 298
 PCV valves, 294

positive and negative backpressure EGR valves, 287–288

positive crankcase ventilation (PCV) system
 diagnosis, 296–297
 pressure feedback EGR, 288
 system operation, 287
 tap test, 306

Exhaust gas temperature sensors, 171

Exhaust manifold design, 318–319

Exhaust manifold gaskets, 320

Exhaust restriction test, 349–350

Exhaust valve, 117

Expandable pilots, 417

Externally and internally balanced engines, 530–531

Eye wash station, 8

F

Fasteners, 37–38

Federal EPA bin number, 111

Feeler gauge, 91

Files, 53

Fire blankets, 7

Fire extinguishers, 6–7

Firing order, 273

First aid stations, 7

Fischer-Tropsch Diesel (FTD), 155

Fitting wrench, 45

Five-cylinder engine crankshafts, 527

Flare-nut wrench, 45

Flat tip screwdriver, 48

Flat-top pistons, 480

Flex Fuels, 143, 145–146

Flexible fuel vehicles, 143

Floor jack, 77

Flourescent-penetrant testing, 367

Flow testing cylinder heads, 429

Flush and refill, 201

Forged pistons, 482

Four-cylinder engine crankshafts, 527

Four-stroke cycle operation, 117

Freewheeling, 445

Fretting, 564

Front-wheel drive *versus* rear-wheel drive, 108

Fuel and emission control, 602

Fuel compensation sensor, 144

Fuel composition sensor, 144

Fuel safety and storage, 19

Fuel tank and lift pump, 163–164

Fuel-pump eccentrics, 442

Full floating, 485

G

Gas-to-liquid (GTL), 155

Gasket failures, 564

Gaskets and clamping force, 562–564

Gasoline, 129

Gasoline grades and octane number, 134

Generator (alternator) output test, 251–252

Gloves, 2

Glow plug resistance balance test, 174–175

Glow plugs, 167

Grain alcohol, 142

Grinder, 384

Grinding, 532–533

Gudgeon pins, 482

H

Hacksaws, 56

Hall-effect sensors, 271

Hammers, 50

Hand tool list, 57

Hand tool maintenance, 60

Hangers, 321

Hard copy manuals, 102–103

Hard copy *versus* electronic service information, 100

Harmonic balancer, removing the, 360

Hazardous waste, 12

Head bolt torque sequence, 582

Head gaskets, 350–351, 580–581, 581–582

Heat of compression, 161

Heated intake air, 168

Heater core, 198

Helical insert, 38

Helicoil, 38

HEPA vacuum, 14

HEUI system, 164–165

High energy ignition (HEI), 256

High mileage, 407–408

High-altitude octane requirements, 139

High-efficiency particulate air (HEPA) vacuum, 14

High-pressure common rail (HPCR), 164

High-velocity seating, 406

Hoisting a vehicle, 81–83

Horsepower and altitude, 126

Hoses, 202

Hot tank cleaning, 365

Hotline services, 104

Hybrid organic additive technology (HOAT), 186

Hydraulic lifter service, 473

Hydraulic lifters, 468–469, 585

Hydraulic presses, 68

Hydrocracking, 129

Hydrodynamic lubrication, 208

Hydrometer testing, 187

Hypereutectic pistons, 482

I

Ignitable, 12

Ignition coil testing using an ohmmeter, 269

Ignition coils, 256

Ignition system operation
 coil-on-plug ignition, 267
 distributor ignition, 261–264
 electronic ignition module, 257

electronic ignition troubleshooting, 269
 firing order, 273
 Hall-effect sensors, 271
 high energy ignition (HEI), 256
 ignition coil testing using an ohmmeter, 269
 ignition coils, 256
 ignition timing, 277–280
 magnetic sensors, testing, 270–271
 mutual induction, 257
 optical sensors, 271
 pickup coil testing, 270
 polarity, 257
 primary ignition circuit, 257, 258–261
 secondary ignition circuit, 257
 secondary ignition tests, 276
 self-induction, 257
 spark plug service, 273–275
 spark plug wire inspection, 272
 spark, checking for, 267–269
 testing, 271–273
 troubleshooting, 280
 waste-spark ignition systems, 264–267
 Ignition timing, 277–280, 591
 ILSAC oil ratings, 210
 Impact screwdriver, 49
 Impact wrench, 64–65
 Incandescent lights, 66
 Indirect injection (IDI), 161
 Inertia forces, 479
 Injection pump, 161
 Injector pop testing, 175
 Inorganic additive technology (IAT), 185
 Intake and exhaust manifolds, 115
 Intake and exhaust ports, 378
 Intake and exhaust valves, 400
 Intake manifold alignment, correcting, 386
 Intake valve, 117
 Interference angle, 414
 Interference fit, 485
 Internal combustion engine, 115
 Internet, 103

J

Jack stands, 77
 Jam nuts, 36
 Japanese oil ratings, 211
 Journal hardness, 526
 Julian date, 104
 Jump starting, 238
 Jump-starting, 5–6

K

Key-locking inserts, 40
 Knock, 132

L

Labor guide manuals, 101
 Lead-acid battery waste, 18

Left-handed threads, 37
 Lifter and pushrod installation, 584–585
 Lifter preload, 469–471
 Lifter rotation, 446–447
 Lifters or tappets, 467
 Light emitting diode (LED), 67
 Linear EGR, 290
 Linear measurements, 87–88
 Linesman's pliers, 51
 Lip seal installation, 572
 Locking nuts, 36–37
 Locking pliers, 52
 Lubricating passages, 503
 Lubrication guides, 98
 Lubrication system, 116
 antidrainback valve, 216
 API ratings, 209
 boundary lubrication, 208
 bypass valve, 216
 dry sump system, 224–226
 engine oil additives, 211–212
 engine oil properties, 209
 European oil ratings, 211
 factors affecting oil pressure, 219–220
 hydrodynamic lubrication, 208
 ILSAC oil ratings, 210
 Japanese oil ratings, 211
 oil brand compatibility, 212
 oil change intervals, 214
 oil change procedure, 214–215
 oil coolers, 226
 oil filters, 216
 oil pans, 223–224
 oil passages in the block, 221–223
 oil pressure regulation, 219
 oil pressure warning lamp, 227
 oil pump checks, 220–221
 oil pumps, 218
 oil temperature, 213–214
 positive displacement pumps, 218–219
 pour point, 209
 pour point depressants, 212
 pressure regulating valve, 219
 principles, 208
 purpose and fundamentals, 208
 SAE rating, 209
 synthetic oil, 212–213
 turbocharged engine, changing oil in a,
 216–218
 valve train lubrication, 223
 viscosity index (VI), 209
 viscosity, 208
 windage tray, 223
 Lugging, 604

M

M-85, 148
 Magnetic crack inspection, 366
 Magnetic sensors, testing, 270–271
 Main bearing and crankshaft, removing the, 361
 Main bearing caps, 503–505

Main bearing clearance, 570–571
 Main bearing housing bore align honing,
 517–519
 Main bearing journals, 524–525
 Main bearing tightening, 574
 Mallets, 50–51
 Manifolds, 586
 Manual transmission installation, 600–601
 Material Safety Data Sheets (MSDSs), 13
 Mechanical cleaning, 362–363
 Mechanical lifter service, 472
 Methanol, 136, 147
 Methanol-to-gasoline (MTG), 156
 Methyl tertiary butyl ether (MTBE), 136
 Metric bolts, 29–30
 Metric radiator caps, 190–191
 Metric system of measure, 87
 Micrometer, 88
 Milling, 384
 Misaligned valve seats, 406
 Model year, 108
 Moly-chrome-carbide rings, 489–490
 Molybdenum piston rings, 489
 Monoblock design, 500
 Mufflers, 320–321
 Multigroove adjustable pliers, 51
 Multilayered steel gaskets, 581
 Multiple-valve combustion chamber, 377–378
 Mutual induction, 257

N

Narrowing the valve seat, 419–420
 Natural gas vehicles (NGVs), 148–149
 Necking, 405
 Needle-nose pliers, 52
 Nitriding, 526
 Nitrous oxide, 333–334
 Normal and abnormal combustion, 132
 Normal operating temperature, 603
 Nut splitter, 55
 Nuts, 31–32

O

O-ring valve stem seal, 426
 OBD-II catalytic converter monitor, 308
 OBD-II catalytic converter performance, 305
 OBD-II EGR monitoring strategies, 290–292
 Occupational Safety and Health Act, 12, 13
 Octane improvers, 135
 Octane rating, 132, 134
 Odd-firing 90 degree V6 engine
 crankshafts, 527
 Offset left aviation snip, 53
 Offset right aviation snip, 53
 Offset screwdriver, 49
 Oil brand compatibility, 212
 Oil change, 605–608
 Oil change intervals, 214
 Oil change procedure, 214–215

Oil control rings, 490
 Oil coolers, 226
 Oil filters, 216
 Oil galleries, 116
 Oil gallery, 503
 Oil pan, 589
 Oil pan, removing the, 359
 Oil pans, 223–224
 Oil passages in the block, 221–223
 Oil pressure, 590–591
 Oil pressure regulation, 219
 Oil pressure testing, 342
 Oil pressure warning lamp, 227, 342
 Oil pump checks, 220–221
 Oil pump installation, 589
 Oil pumps, 218
 Oil temperature, 213–214
 Opacity test, 175
 Open-end wrench, 44
 Optical sensors, 271
 Organic, 137
 Organic additive technology (OAT), 185
 Orifice-controlled systems, 295
 Overhead camshaft, 438
 Overhead camshaft valve trains, 452
 Overhead camshaft, removing the, 381
 Overhead camshaft, timing drives, 583–584
 Overhead valves, lubricating, 381
 Oversize stem valves, 388–389
 Owner's manuals, 98
 Oxygenated fuels, 135–136

P

P-series fuels, 149–150
 Painting the engine, 562
 Pal nuts, 36
 Parallel flow system, 194
 Particulate matter, 168–169
 PCV monitor, 298
 PCV valves, 294
 Peen, 50
 Penetrating oil, 37
 Personal protective equipment (PPE), 2
 Petrodiesel, 154
 Petroleum, 129
 Pickup coil testing, 270
 Ping, 132
 Piston and rod assembly, 494–495, 576–578
 Piston and rod removal, 478–479
 Piston fittings, 575
 Piston head size, 482
 Piston heads, 480–481
 Piston pin, 473
 Piston pin fit, 484
 Piston pin offset, 483–484
 Piston pin retaining methods, 485–486
 Piston pins, 482
 Piston ring cross-sections, 488
 Piston ring expanding tool, 479
 Piston ring grooves, 486
 Piston ring service, 495–496
 Piston rings, 478, 486
 Piston service, 490
 Piston strut inserts, 482
 Positive twist, 488
 reverse twist, 488
 ring gaps, 488
 rod twist, 493
 scraper ring, 488
 slipper skirt, 482
 taper face ring, 488
 Pitch, 29
 Plastic intake manifolds, 316
 Plateau honing, 509
 Pliers, 51–53
 Polarity, 257
 Pop rivet, 36
 Poppet valve, 400
 Port-fuel injection intake manifolds, 316
 Portable crane and chain hoist, 68
 Porting, 378

Positive and negative backpressure EGR valves, 287–288
 Positive crankcase ventilation (PCV) system diagnosis, 296–297
 Positive displacement, 327
 Positive displacement pumps, 218–219
 Positive twist, 488
 Positive valve stem seals, 426
 Pour point, 209
 Pour point depressants, 212
 Power, 125
 Power adder, 333
 Power balance test procedure, 346–347
 Power washing, 4–5
 Premature bearing failure, 570–571
 Preoiling an engine, 592
 Pressure cap, 189–190
 Pressure feedback EGR, 288
 Pressure regulating valve, 219
 Pressure testing, 191–192, 367
 Primary ignition circuit, 257, 258–261
 Primary vibration, 547
 Propane, 148
 Punches, 54
 Pushrods, 450–451

R

Radiator, 189
 Radiator pressure test, 204
 Radioactive, 12
 Ratchet, 45
 Reactive, 12
 Recalls and campaigns, 103–104
 Reconditioning procedure, 410–411, 413–415
 Recycling coolant, 187
 Reformulated gasoline (RFG), 139–140
 Regeneration, 171
 Reid vapor power, 130
 Relief valves, 332
 Relieving, 378
 Removers, 55
 Replacement valve guides, installing, 395–396
 Replacing coolant, 187–188
 Resource Conservation and Recovery Act (RCRA), 12–13
 Retarded cam timing, 460
 Reverse twist, 488
 Right-to-know laws, 13
 Ring end gap, 575
 Ring gaps, 488
 Rivets, 36
 Rocker arms, 448–450
 Rocking couple, 547
 Rod bearing journals, 525
 Rod twist, 493
 Rod weighing, 551–553
 Rolling acceleration test, 175
 Root-mean-square (RMS), 384
 Roots-type supercharger, 327
 Rope seal installation, 572–573

Rotary engine, 120
 Rotating assembly, 115, 550
 Running (dynamic) compression test, 345

S

SAE rating, 209
 Safety glasses, 2
 Safety stands, 77
 Scan tool diagnosis, 174
 Scraper ring, 488
 Screwdrivers, 48–49
 Seal drivers, 58
 Seal pullers, 58
 Secondary ignition circuit, 257
 Secondary ignition tests, 276
 Secondary vibration, 547
 Self-induction, 257
 Self-tapping inserts, 39
 Self-tapping screws, 34
 Series flow system, 194
 Series-parallel flow system, 194
 Service

- electronic service information, 103
- hard copy manuals, 102–103
- hard copy *versus* electronic service information, 100
- hotline services, 104
- Internet, 103
- labor guide manuals, 101
- lubrication guides, 98
- owner's manuals, 98
- recalls and campaigns, 103–104
- service information, 98–99
- service manuals, 98
- specialty repair manuals, 104105
- technical service bulletins, 103
- vehicle service history records, 98

 Service information, 98–99
 Service manuals, 98
 Sheet metal screws, 34
 Short block, 560–561
 Short block preparation, 558–560
 Siamese cylinder bores, 502
 Siamese ports, 378
 Single overhead camshaft (SOHC), 119
 Single-cut file, 53
 Sixty-degree V6 engine crankshafts, 528
 Sizing hone, 509
 Sleeving the cylinder, 508
 Slip-joint pliers, 51
 Slipper skirt, 482

- Small-hole gauge, 91

 Snap acceleration test, 175
 Snap rings, 35
 Snap-ring pliers, 52–53
 Snips, 53
 Socket, 45
 Socket extension, 46
 Sodium-filled valves, 402
 Solid-busing inserts, 39
 Soldering guns, 59

Solid lifters, 467–468, 585–586
 Solvent spray, 14
 Solvent-based cleaning, 363
 Solvents, 16–18
 Soot, 168–169
 Spark, 132
 Spark plug service, 273–275
 Spark plug wire inspection, 272
 Spark, checking for, 267–269
 Specialty repair manuals, 104–105
 Specific gravity, 232–233
 Spiral bronze insert bushings, 394
 Spline phaser system, 463
 Spray washing, 363–364
 Spread and crush, 539–541
 Stall acceleration test, 175
 Starter, 601–602
 Starter amperage draw test, 250
 Starter amperage testing, 241
 Steam cleaning, 364
 Steel-toed shoes, 2
 Stellite, 402
 Stoichiometric air–fuel ratio, 138–139
 Stone wheel, 67
 Straight blade screwdriver, 48
 Straight cut aviation snip, 53
 Straightedge, 91–92
 Stress relieving the crankshaft, 534
 Strip feeler gauge, 575
 Stroke, 122
 Stud, 29
 Summer blend, 130
 Superchargers, 326–327
 Surface finish, 384–385, 526
 Surge tank, 190
 Syn-gas (synthesis gas), 147–148
 Synthetic fuels, 155–156
 Synthetic oil, 212–213

T

Tap test, 306
 Taper face ring, 488
 Tapered pilots, 416
 Taps, 32–33
 Technical service bulletins, 103
 Telescopic gauge, 90
 Tensile strength, 31
 Tertiary-amyl methyl ether, 136
 Test lights, 59
 Tetraethyl lead (TEL), 132
 Thermal cleaning, 364
 Thermal ovens, 5
 Thermal shock, 405
 Thermostat replacement, 184
 Thermostat temperature control, 181–182
 Thermostatic fans, 196–197
 Thickness gauge, 91
 Thimble, 88
 Thread pitch gauge, 33
 Thread repair inserts, 38–39
 Threaded fasteners, 29

Threaded inserts, 39
 Three-cylinder engine crankshafts, 527
 Throttle-body injection intake manifolds, 315–316
 Thrust bearing, 525
 Thrust bearing clearance, 574
 Thrust plate, 446
 Tier 1, 109
 Tier 2, 109–110
 Timing chain and camshaft, removing the, 360–361
 Timing chains and gears, 574–575
 Timing covers, 588
 Tin snips, 53
 Tire disposal, used, 20
 Tool sets, 57
 Top dead center (TDC), 117
 Torch, setup and lighting a, 70–71
 Torque wrenches, 46–47, 125
 Torque-to-yield bolts, 582–583
 Total indicator runout (TIR), 419
 Toxic, 12
 Trial assembly

- short block, 560–561
- valve train, 561

 Trouble lights, 66–67
 Tube-net wrench, 45
 Tuftriding, 526
 Turbocharging and supercharging

- airflow requirements, 325
- boost control, 330–332
- compressor bypass valve, 332
- dump valve, 332
- engine compression, 325
- nitrous oxide, 333–334
- positive displacement, 327
- power adder, 333
- principles of, 325–326
- relief valves, 332
- roots-type supercharger, 327
- superchargers, 326–327
- system installation and calibration, 334
- turbochargers, 328–330
- vent valve, 332
- volumetric efficiency, 325
- wastegate, 331
- wet and dry systems, 334

U

Ultra-low-sulfur diesel (ULSD), 152
 Ultrasonic cleaning, 365
 Umbrella valve stem seal, 426
 Underground coal classification (UCG), 156
 Underground storage tank (UST), 15
 Unified National Coarse (UNC), 29
 Unified National Fine (UNF), 29
 Universal joint, 46
 Upper and lower intake manifolds, 318
 Used oil storage, 15–16
 Used oil, disposal of, 15
 Utility knife, 54

V

- V-8 engine crankshaft, 527
- Vacuum tests, 347–349
- Valve adjustment, 593–596
- Valve and seat service
 - cylinder head flow *versus* horsepower, 429–431
 - deflector valve stem seals, 426
 - dressing the grinding stone, 418
 - excessive temperatures, 405
 - expandable pilots, 417
 - flow testing cylinder heads, 429
 - high mileage, 407–408
 - high-velocity seating, 406
 - installed height, checking, 424
 - installing valves, 427–429
 - intake and exhaust valves, 400
 - interference angle, 414
 - misaligned valve seats, 406
 - narrowing the valve seat, 419–420
 - necking, 405
 - o-ring valve stem seal, 426
 - poppet valve, 400
 - positive valve stem seals, 426
 - reconditioning procedure, 410–411, 413–415
 - sodium-filled valves, 402
 - stellite, 402
 - tapered pilots, 416
 - thermal shock, 405
 - total indicator runout (TIR), 419
 - umbrella valve stem seal, 426
 - valve design, 400–401
 - valve face, 400
 - valve face grinding, 412–413
 - valve guide pilots, 416–417
 - valve inspection, 403–405
 - valve keepers, 410
 - valve materials, 401–402
 - valve rotators, 410
 - valve seat, 400
 - valve seat cutters, 420
 - valve seat grinding, 419, 432–435
 - valve seat grinding stones, 417–418
 - valve seat replacement, 421–424
 - valve seat testing, 420–421
 - valve seat width, 414–415
 - valve seats, 402–403
 - valve size relationships, 400
 - valve spring inserts (VSI), 424
 - valve springs, 400, 408–409
 - valve stem height, 424
 - valve stem seals, 425–427
- Valve design, 400–401
- Valve duration, 377
- Valve face, 400
- Valve face grinding, 412–413
- Valve guide inserts, 391–393
- Valve guide knurling, 389–390
- Valve guide pilots, 416–417
- Valve guide replacement, 390–391
- Valve guides, 387, 388
- Valve inspection, 403–405
- Valve keepers, 410
- Valve materials, 401–402
- Valve noise diagnosis, 472
- Valve rotators, 410
- Valve seat, 400
- Valve seat cutters, 420
- Valve seat grinding, 419, 432–435
- Valve seat grinding stones, 417–418
- Valve seat inserts, 387
- Valve seat replacement, 421–424
- Valve seat testing, 420–421
- Valve seat width, 414–415
- Valve seats, 402–403
- Valve size relationships, 400
- Valve spring inserts (VSI), 424
- Valve springs, 400, 408–409
- Valve stem height, 424
- Valve stem seals, 425–427
- Valve stem-to-guide clearance, 387
- Valve train, 473–475, 561
- Valve train lubrication, 223
- Vapor cleaning, 365
- Vapor lock, 130
- Variable fuel sensor, 144
- Variable intakes, 316
- Variable valve timing (VVT), 461–465
- Variable valve timing and lift, 465–466
- Vehicle emissions control information (VECI), 109

- Vehicle hoists, 77–80
- Vehicle identification, 108, 146–147
- Vehicle Safety Certification Label, 109
- Vehicle service history records, 98
- Vent valve, 332
- Vernier dial caliper, 91
- Vibration damper, 589
- Vibratory cleaning, 365
- Viscosity index (VI), 209
- Viscosity, 208
- WISE GRIPS, 52
- Visual checks, 339–340
- Visual inspection, 366
- Volatility, 129–130
- Voltmeter testing, 246–48
- Volumetric efficiency, 325

W

- Washers, 34
- Waste chart, 21–22
- Waste-spark ignition systems, 264–267
- Wastegate, 331
- Water pump, 590
- Water pump and timing belt replacement, 609–615
- Water pump operation, 192
- Water pump pliers, 51
- Water pump service, 194–196
- Water-based chemical cleaning, 363
- Welding a crankshaft, 533–534
- Wet and dry systems, 334
- Wet compression test, 344–345
- Windage tray, 223
- Winter blend, 130
- Wire brush wheel, 67
- Work light, 66
- Workplace Hazardous Materials Information Systems (WHIMIS), 13
- World Wide Fuel Charter (WWFC), 140
- Wrenches, 44–45

Z

- Zinc dithiophosphate (ZDP), 456

