# INTERNATIONAL STANDARD

# IEC 60371-3-2

Second edition 2005-10

Insulating materials based on mica -

Part 3: Specifications for individual materials – Sheet 2: Mica paper



Reference number IEC 60371-3-2:2005(E)

#### **Publication numbering**

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

#### **Consolidated editions**

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

#### Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

IEC Web Site (<u>www.iec.ch</u>)

#### Catalogue of IEC publications

The on-line catalogue on the IEC web site (<u>www.iec.ch/searchpub</u>) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

• IEC Just Published

This summary of recently issued publications (<u>www.iec.ch/online\_news/justpub</u>) is also available by email. Please contact the Customer Service Centre (see below) for further information.

#### • Customer Service Centre

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: <u>custserv@iec.ch</u> Tel: +41 22 919 02 11 Fax: +41 22 919 03 00

# INTERNATIONAL STANDARD

# IEC 60371-3-2

Second edition 2005-10

Insulating materials based on mica -

Part 3: Specifications for individual materials – Sheet 2: Mica paper

© IEC 2005 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия



For price, see current catalogue

## CONTENTS

FO	REWC	RD	3				
INT	RODL	ICTION	5				
1	Scop	e	6				
2	Norm	ative references	6				
3	Gene	General					
	3.1	Classification and designation	6				
	3.2	Standard forms of delivery	7				
	3.3	Marking	7				
4	Gene	ral requirements	7				
	4.1	Conditions as received	7				
	4.2	Properties	8				
5	Tests		8				
	5.1	Test specimens	8				
Fig	ure 1 -	- Mica paper – Air porosity1	0				
Fig	Scope6Normative references6General63.1Classification and designation63.2Standard forms of delivery73.3Marking7General requirements74.1Conditions as received74.2Properties85.1Tests85.1Test specimens85.1Tigure 1 – Mica paper – Air porosity10Tigure 2 – Mica paper – Penetration11Tigure 3 – Mica paper – Tensile strength12Table 1 – Dimensions of test specimens8Table 2 – Requirements for mica paper9						
Fig	ure 3 -	- Mica paper – Tensile strength1	2				
Tab	le 1 –	Dimensions of test specimens	8				
Tab	le 2 –	Requirements for mica paper	9				

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### INSULATING MATERIALS BASED ON MICA –

### Part 3: Specifications for individual materials – Sheet 2: Mica paper

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committee; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60371-3-2 has been prepared by IEC technical committee 15: Standards on specifications for electrical Insulating materials.

This second edition cancels and replaces the first edition, published in 1991, and constitutes a technical revision.

The main changes with regard to the previous edition include adjustments to align this standard with changes included in the latest edition of IEC 60371-2.

The text of this standard is based on the following documents:

FDIS	Report on voting
15/227/FDIS	15/245/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

#### INTRODUCTION

This part of IEC 60371 forms part of a series which deals with insulating materials built up from mica splittings or mica paper with or without reinforcement, and with mica paper in its pure state for use in electrical equipment.

IEC 60371 consists of three parts under the main title *Specification for insulating materials based on mica:* 

- Part 1: Definitions and general requirements
- Part 2: Methods of test
- Part 3: Specifications for individual materials

This standard contains one of the sheets comprising part 3, as follows:

Sheet 2: Mica paper

### INSULATING MATERIALS BASED ON MICA –

### Part 3: Specifications for individual materials – Sheet 2: Mica paper

#### 1 Scope

This part of IEC 60371 gives requirements for electrical insulating materials made from mica paper which is to be processed for built-up mica materials according to IEC 60371-1, such as rigid flat mica materials, flexible mica materials, curable flexible mica materials and shaped pieces.

Materials which conform to this specification meet established levels of performance. However, the selection of a material by a user for a specific application should be based on the actual requirements necessary for adequate performance in that application and not based on this specification alone.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60371-1:2003, Specification for insulating materials based on mica – Part 1: Definitions and general requirements

IEC 60371-2:2004, Specification for insulating materials based on mica – Part 2: Methods of test

IEC 60554-2:2001, Cellulosic papers for electrical purposes – Part 2: Methods of test

IEC 60589:1977, *Methods of test for the determination of ionic impurities in electrical insulating materials by extraction with liquids* 

ISO 534:2005, Paper and board – Determination of thickness and apparent bulk density or apparent sheet density

ISO 536:1995, Paper and board – Determination of grammage

ISO 5636-5:2003, Paper and board – Determination of air permeance and air resistance (medium range) – Part 5: Gurley method

#### 3 General

#### 3.1 Classification and designation

Mica papers are classified in several types depending on the nature of the mica minerals used and the manufacturing procedure. These types have different characteristics as regards thickness, mass per unit area and physical and chemical properties. The nature of the mica minerals is designated by the symbols MPM or MPP, as follows:

MPM = mica paper, muscovite;

MPP = mica paper, phlogopite.

Since it would not be possible to harmonize the many-sided interests connected with mica paper made by diverse procedures, the following four main classes have been chosen:

Class 1 MPM:	mica paper based on calcined muscovite, chemical process;
Class 2 MPM:	mica paper based on calcined muscovite, mechanical process;
Class 3 MPM:	mica paper based on uncalcined muscovite;
Class 4 MPP:	mica paper based on uncalcined phlogopite.

The above classes are distinguished from each other by characteristic properties such as porosity, penetration and tensile strength. These properties are plotted versus mass per unit area in Figures 1 to 3 showing the possible ranges of the four different classes.

NOTE The base materials for MPM-types classes 1 and 2 can be blended in order to achieve a mica paper with characteristics lying between class 1 and class 2 types, and should be subject to contract.

The letter symbols for the nature of the mica minerals are followed by four digits indicating the class (first digit) and the mass per unit area (second to fourth digits).

Example: designation of mica paper based on calcined muscovite (MPM), with a mass per unit area of 50 g/m<sup>2</sup>, whose properties meet the requirements given in Table 2 for class 1: Mica paper - IEC 60371-3-2 MPM-1050.

#### 3.2 Standard forms of delivery

Mica papers may be supplied in rolls or sheet form.

#### 3.3 Marking

Rolls and packets of mica paper supplied as complying with this specification shall be marked with the following:

- supplier, manufacturer and trade name;
- batch/roll number;
- designation in accordance with 3.1;
- net mass of roll or packet.

The marks shall be durable and fixed in such a manner that they can be read until the mica paper is completely unrolled, or the packet has been completely used.

#### 4 General requirements

The mica paper shall comply with the requirements of IEC 60371-1 and with this standard.

#### 4.1 Conditions as received

Mica paper shall be supplied wound on cores sufficiently tightly to enable the material to be unwound smoothly without telescoping. On receipt, the roll end shall form a plane circular surface with no apparent telescoping.

The difference between the roll width and the paper width shall be subject to contract between purchaser and supplier.

The width of the rolls and their core and outer diameter shall be subject to contract between purchaser and supplier.

The materials should be packaged to ensure adequate protection during transport, handling and storage. Any necessary packing requirements should be subject to the purchase contract.

Mica paper in sheets or when unrolled shall be flat and smooth, free from defects such as compressed spots, holes, creases and contamination, e.g. large hard mica particles and electrically conductive inclusions.

Splices in mica paper are not acceptable.

#### 4.2 **Properties**

When tested according to Clause 5, the measured values shall conform with the requirements given in Table 2.

### 5 Tests

#### 5.1 Test specimens

The number of test specimens necessary for each test is indicated in the test method.

If delivered in rolls, the two outermost layers of mica paper shall be removed prior to taking a sample of about 1  $m^2$ .

If mica paper is delivered in sheets, one sheet constitutes the specimen which has to meet the requirements for the respective batch.

#### 5.1.1 Sampling and preparation of test specimens

For any test, the specimens shall be cut in such a manner that the full width of the material is represented. The cut edge shall be straight and free from tears and cracks. Die cutting is preferred when possible.

#### 5.1.2 Dimensions of test specimens

The dimensions of the test specimens for each test are given in Table 1.

The mean thickness is the average of ten thickness measurements made on the test sheet or sample, at approximately equispaced locations across the diagonal of the sheet or sample.

	Test m	nethod	Test specimens			
Requirements	Publication	Clause or subclause	Dimensions mm	Tolerances mm		
Mass per unit area	IEC 60554-2	3				
Conductivity of the			100 × 100	± 0,2		
aqueous extract	IEC 00569		alternatively			
Loss of mass at 500 °C		7 4 4		±0,2		
	IEC 00371-2	7.4.1	Ø 113			
Tensile strength	IEC 60554-2	5	15  imes 250	± 0,2		
Air porosity	ISO 5636-5		50 × 120	± 1		
Penetration	IEC 60371-2	20	75 × 75	± 1		

#### Table 1 – Dimensions of test specimens

Class	Range	Preferred	Mass per unit area			Thickness		Air	Impreg-	Conduc-	Loss of	Tensile
	of mass per unit area	types	Nominal	Admissible deviation between mean value and nominal value	Admissible deviation between individual values and nominal value	Expected thickness	Maximum difference between individual readings and mean of all values	porosity	nation time Non-sieve side	tivity of an aqueous extract	mass	strength
	g/m²		g/m²	%	%	μm	%	s/100 ml	s	μ5/cm (max.)	% (max.)	N/cm width
							Test method acc	ording to				
			IEC 60554-2, Clause 6 and ISO 536		IEC 60554-2, 5.1 and ISO 534		ISO 5636-5	IEC 60371-2, Clause 20	IEC 60589	IEC 60371-2, 7 4.1	IEC 60554-2, Clause 8	
1	50 120	MPM 1050 MPM 1060 MPM 1075	50 60 75	±4	±6	45 50 60	±10	Figure 1	Figure 2	70	0,5	Figure 3
2	120 300	MPM 2120 MPM 2150 MPM 2180 MPM 2250	120 150 180 250	±4	±7	90 110 130 180	±14	Figure 1	Figure 2	20	0,5	Figure 3
3	80 560	MPM 3080 MPM 3120 MPM 3160 MPM 3250 MPM 3370	80 120 160 250 370	±5	±7 ±12 <sup>1)</sup>	55 85 105 160 240	±15	Figure 1	Figure 2	10	0,4	Figure 3
4	60 250	MPP 4080 MPP 4120 MPP 4160	80 120 160	±5	±7 ±12 <sup>1)</sup>	60 75 95	±15	Figure 1	Figure 2	10	0,4	Figure 3

#### Table 2 – Requirements for mica paper

The figures indicate that the maximum deviation between individual values of thickness and the nominal value for these classes of mica paper may range from ± 7 % to ± 12 %, dependent upon the specific grade of material.

The actual admissible deviation shall be subject to contract between purchaser and supplier.

2) Air Porosity shall be measured in accordance with ISO 5636/5: 2003. clause 3.2 "Air Resistance". Results shall be expressed in seconds per 100 ml.

I

Т



- 10 -

Figure 1 – Mica paper – Air porosity



- 11 -

Figure 2 – Mica paper – Penetration



– 12 –

Figure 3 – Mica paper – Tensile strength



The IEC would like to offer you the best quality standards possible. To make sure that we continue to meet your needs, your feedback is essential. Would you please take a minute to answer the questions overleaf and fax them to us at +41 22 919 03 00 or mail them to the address below. Thank you!

Customer Service Centre (CSC)

International Electrotechnical Commission 3, rue de Varembé 1211 Genève 20 Switzerland

or

Fax to: IEC/CSC at +41 22 919 03 00

Thank you for your contribution to the standards-making process.



Nicht frankieren Ne pas affranchir



Non affrancare No stamp required

RÉPONSE PAYÉE SUISSE

Customer Service Centre (CSC) International Electrotechnical Commission 3, rue de Varembé 1211 GENEVA 20 Switzerland

Q1	Please report on <b>ONE STANDARD</b> an <b>ONE STANDARD ONLY</b> . Enter the expumber of the standard: (e.g. 60601-	nd (act 1-1)	Q6	If you ticked NOT AT ALL in Question 5 the reason is: <i>(tick all that apply)</i>				
		)		standard is out of date				
				standard is incomplete				
				standard is too academic				
Q2	Please tell us in what capacity(ies) yo	u		standard is too superficial				
	bought the standard (tick all that apply	y).		title is misleading				
				I made the wrong choice				
	purchasing agent			other				
	librarian							
	researcher							
	design engineer		07	Please assess the standard in the				
	safety engineer		<b>u</b> ,	following categories, using				
	testing engineer			the numbers:				
	marketing specialist			(1) unacceptable,				
	other			(2) below average, (3) average				
				(4) above average.				
03	Lwork for/in/ac a:			(5) exceptional,				
Q.)	(tick all that apply)			(6) not applicable				
				timolinoco				
	manufacturing			quality of writing				
	consultant			technical contents				
	government			logic of arrangement of contents				
	test/certification facility			tables, charts, graphs, figures				
	public utility			other				
	education							
	military							
	other		Q8	I read/use the: (tick one)				
04	This standard will be used for:			French text only				
44	(tick all that apply)			English text only				
				both English and French texts				
	general reference				_			
	product research							
	product design/development							
	specifications		Q9	Please share any comment on any				
	tenders			aspect of the IEC that you would like				
	quality assessment			us to know.				
	certification							
	technical documentation							
	thesis							
	manufacturing							
	other							
Q5	This standard meets my needs:				•••••			
	(tick one)							
	not at all							
	fairly well							
	exactly							

LICENSED TO MECON Limited. - RANCHI/BANGALORE FOR INTERNAL USE AT THIS LOCATION ONLY, SUPPLIED BY BOOK SUPPLY BUREAU.



ICS 29.035.10; 29.035.50