INTERNATIONAL STANDARD

IEC 60454-3-12

Second edition 2006-01

Pressure-sensitive adhesive tapes for electrical purposes –

Part 3:

Specifications for individual materials – Sheet 12: Requirements for polyethylene and polypropylene film tapes with pressure sensitive adhesive



Reference number IEC 60454-3-12:2006(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on EC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- ECWebSite (www.iec.ch)
- Catalogue of EC publications

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

• EC JustPublished

This summary of recently issued publications (www.iec.ch/online news/justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

• Custom er Service Centre

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: <u>custserv@iec.ch</u>
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 60454-3-12

Second edition 2006-01

Pressure-sensitive adhesive tapes for electrical purposes –

Part 3:

Specifications for individual materials – Sheet 12: Requirements for polyethylene and polypropylene film tapes with pressure sensitive adhesive

IEC 2006 Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия PRICE CODE

J

For price, see current catalogue

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRESSURE-SENSITIVE ADHESIVE TAPES FOR ELECTRICAL PURPOSES –

Part 3: Specifications for individual materials –
Sheet 12: Requirements for polyethylene and polypropylene
film tapes with pressure sensitive adhesive

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60454-3-12 has been prepared by IEC technical committee 15: Insulating materials.

This second edition of IEC 60454-3-12 replaces the first edition, published in 1998, as well as IEC 60454-3-18, published in 2003. It constitutes a technical revision. This edition replaces the previous second edition and includes its consolidation with the texts of IEC 60454-3-18 (2003).

The text of this standard is based on the following documents:

FDIS	Report on voting
15/261/FDIS	15/288/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- · amended.

A bilingual version of this publication may be issued at a later date.

INTRODUTION

This International Standard is one of a series, which deals with pressure-sensitive adhesive tapes, intended primarily for electrical purposes.

The series consists of three parts:

Part 1: General requirements (IEC 60454-1)

Part 2: Methods of test (IEC 60454-2)

Part 3: Specifications for individual materials (IEC 60454-3)

This standard contains one of the sheets comprising part 3 as follows:

Sheet 12:

Polyethylene and polypropylene film tapes pressure sensitive adhesives.

SAFETY WARNING

It is the responsibility of the user of the methods contained or referred to in this standard to ensure that they are used in a safe manner.

PRESSURE-SENSITIVE ADHESIVE TAPES FOR ELECTRICAL PURPOSES –

Part 3: Specifications for individual materials – Sheet 12: Requirements for polyethylene and polypropylene film tapes with pressure sensitive adhesive

1 Scope

This sheet of IEC 60454-3 contains requirements for polyethylene and polypropylene film tapes with pressure sensitive adhesives

Materials which conform to this specification meet established levels of performance. However, the selection of a material by a user for a specific application should be based on the actual requirements necessary for adequate performance in that application, and not based on this specification alone.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60426:1973, Test methods for determining electrolytic corrosion with insulating materials

IEC 60454-1:1992, Specifications for pressure-sensitive adhesive tapes for electrical purposes – Part 1: General requirements

IEC 60454-2:1994, Specifications for pressure-sensitive adhesive tapes for electrical purposes – Part 2: Methods of test

3 Terms and definitions

For the purposes of this document, the definitions of IEC 60454-1 apply.

4 Classification and designation

4.1 Polyethylene film tapes with pressure sensitive adhesive

- **4.1.1** The products supplied according to this specification shall be classified as follows:
- Type 1: Products having a thermal index of 90 and a minimum temperature rating of -10 °C.
- Type 2: Products having a thermal index of 90 and a minimum temperature rating of -18 °C.
- Type 3: Products having a thermal index of 90 and a minimum temperature rating of -33 °C.
- Type 4: Products having a thermal index of 75 and a minimum temperature rating of -10 °C.
- Type 5: Products having a thermal index of 75 and a minimum temperature rating of -18 °C.
- Type 6: Products having a thermal index of 75 and a minimum temperature rating of -33 °C.

4.1.2 The products shall be designated for ordering purposes as follows:

Type 1: IEC 60454-3-12-1/F-PE/90
Type 2: IEC 60454-3-12-2/F-PE/90
Type 3: IEC 60454-3-12-3/F-PE/90
Type 4: IEC 60454-3-12-4/F-PE/75
Type 5: IEC 60454-3-12-5/F-PE/75
Type 6: IEC 60454-3-12-6/F-PE/75

NOTE The nature of the adhesive is not classified, since several classes of adhesive may satisfy the performance requirements of this specification. Adhesive types may be based on agreement between purchaser and supplier.

4.2 Polypropylene film tapes with pressure sensitive adhesive

4.2.1 The products supplied according to this specification shall be classified as follows:

- Type 1: Products having properties characteristic of a biaxially oriented polypropylene film with a thermal index of 105 with an acrylic crosslinked adhesive.
- Type 2: Products having properties characteristic of a biaxially oriented polypropylene film with a thermal index of 105 with a rubber thermosetting adhesive.
- Type 3: Products having properties characteristic of a biaxially oriented polypropylene film with a thermal index of 105 with an acrylic thermoplastic adhesive.

4.2.2 The products supplied according to this specification shall be classified as follows:

Type 1: IEC 60454-3-12-1/F-PP/105/A-Tx

Type 2: IEC 60454-3-12-2/ F-PP/105/R-Tc

Type 3: IEC 60454-3-12-3/ F-PP/105/A-Tp

5 Requirements

All applicable requirements of IEC 60454-1 shall apply to material furnished under this specification.

The electric and other physical properties of products supplied according to this specification shall be within the limits listed in Tables 1 and 2 when tested in accordance with the test methods listed therein.

5.1 Thermal endurance

5.1.1 Polyethylene film tapes with pressure sensitive adhesives

When required by the purchaser, the manufacturer shall provide evidence that when tested in accordance with Clause 21 of IEC 60454-2, the product has a temperature index of not less than 90 for Types 1, 2, and 3; and not less than 75 for Types 4, 5, and 6. The exposure temperatures shall be 100 °C, 110 °C and 120 °C for Types 1, 2, and 3; and 90 °C, 100 °C and 110 °C for Types 4, 5, and 6.

The end-point criterion used shall be:

- for breakdown voltage: 2,5 kV (metal foil electrode).

5.1.2 Polypropylene film tapes with pressure sensitive adhesives

When required by the purchaser, the manufacturer shall provide evidence that when tested in accordance with Clause 21 of IEC 60454-2, the product has a temperature index of not less than 105. The exposure temperatures shall be 120 °C, 140 °C and 160 °C.

The end-point criterion used shall be:

for breakdown voltage: 1,0 kV (metal foil electrode).

5.2 Low temperature performance

5.2.1 Polyethylene film tapes with pressure sensitive adhesives

When required by the purchaser, the manufacturer shall provide evidence of the low temperature performance when tested in accordance with the conditions specified in Table 3; the tape shall have a minimum temperature rating as follows:

Types 1, 4: -10 °C Types 2, 5: -18 °C Types 3, 6: -33 °C

6 Test methods

All tests shall be conducted in accordance with the appropriate clauses and subclauses of IEC 60454-2.

7 Marking, labelling and packaging

Unless otherwise specified, all marking, labelling and packaging shall be in accordance with the requirements of IEC 60454-1.

Table 1 – Requirements for all types

Property	Clause or subclause of IEC 60454-2	Units	Requirements
Thickness	4	mm	Nominal value per manufacturer ±0,025 mm or ±20 % whichever is greater
Width	5	mm	7.2.1 of IEC 60454-1
Length	6	m	7.3 of IEC 60454-1
Electrolytic corrosion -Insulation resistance after 24 h at (23±2) °C and (93±2) % relative humidity or -Visual method	7.5 7.6	/25 mm width None	1 x 10 ¹⁰ minimum Grade shall be at least as good as A 1,4 (see Table 1 of IEC 60426)
Thermal endurance	21		See 5.3

Table 2 – Requirements for various types

	Clause or				Polyet	Polyethylene				Polypropylene	
Property	of IEC 60454-2	Units	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6	Type 1	Type 2	Type 3
Tensile strength	ω	N/10 mm width	100 min. per mm of tape thickness	500 min. per mm of tape thickness	500 min. per mm of tape thickness	500 min. per mm of tape thickness					
Elongation at break	8	%	150 min.	50 min.	50 min.	50 min.					
Adhesion to steel	11	N/10 mm width	1,5 min.	2,2 min.	2,6 min.	1,8 min.					
Flagging test	15										
- at curing temperature	As per 15.5.2	mm			1	1	1		2 maximum	2 maximum	2 maximum
- at room temperature	As per 15.5.1	mm									
Adhesion to backing	11	N/10mm width	1,0 min.	_	_	-					
Breakdown voltage											
- at room temperature	17	kV/ mm	40 min.	45 min.	45 min.	40 min.					
- after humid conditioning	18	kV/ mm	30 min.	45 min.	45 min.	40 min.					
Adhesion to backing at low temperature (see Table 3 for test temperatures)	12	N/10mm width	1,5 min.	1	_	1					
Shear adhesion to backing after water immersion		Z	10 min.	1	1	ı					

Table 3 – Low temperature performance

Low temperature rating	Temperature for Clause 9 of IEC 60454-2	Temperature for clause 12 of IEC 60454-2
−10 °C	(-18 ± 1) °C	(-10 ± 1) °C
−18 °C	(-26 ± 1) °C	(-18 ± 1) °C
−33 °C	(-40 ± 1) °C	(-18 ± 1) °C

Copyright International Electrotechnical Commission



The EC would like to offer you the best quality standards possible. To make sure that we continue to meet your needs, your feedback is essential. Would you please take a minute to answer the questions overleaf and fax them to us at +41 22 919 03 00 or mail them to the address below. Thank you!

Customer Service Centre (CSC)

International Electrotechnical Commission 3, rue de Varembé 1211 Genève 20 Switzerland

or

Fax to: EC/CSC at +41 22 919 03 00

Thank you for your contribution to the standards-making process.

A Prioritaire

Nicht frankieren Ne pas affranchir



Non affrancare No stamp required

RÉPONSE PAYÉE SUISSE

Customer Service Centre (CSC)

International Electrotechnical Comm ission 3, rue de Varembé 1211 GENEVA 20 Switzerland



Q 1	Please report on ONE STANDARD are ONE STANDARD ONLY. Enter the exnumber of the standard: (e.g. 60601-	cact	Q 6	If you ticked NOT AT ALL in Question 5 the reason is: (tick all that apply)	5
		,		standard is out of date standard is incomplete standard is too academic	1
Q 2	Please tell us in what capacity(ies) yo bought the standard (tick all that apple I am the/a:			standard is too academic standard is too superficial standard is misleading))
	purchasing agent			other	
	librarian				
	researcher				
	design engineer		Q 7	Please assess the standard in the	
	safety engineer			following categories, using	
	testing engineer			the numbers: (1) unacceptable,	
	marketing specialist			(2) below average,	
	other	• • • •		(3) average,	
				(4) above average,(5) exceptional,	
Q 3	I work for/in/as a:			(6) not applicable	
	(tick all that apply)				
	manufacturing			timeliness	
	consultant			quality of writingtechnical contents	
	government			logic of arrangement of contents	
	test/certification facility			tables, charts, graphs, figures	
	public utility			other	
	education				
	military				
	other		Q 8	I read/use the: (tick one)	
Q 4	This standard will be used for:			French text only	1
	(tick all that apply)			English text only	3
	general reference			both English and French texts]
	product research				
	product design/development				
	specifications		Q 9	Please share any comment on any	
	tenders			aspect of the IEC that you would like	
	quality assessment			us to know:	
	certification				
	technical documentation				
	thesis	<u> </u>			
	manufacturing 				
	other				
					•
Q 5	This standard meets my needs:				•
	(tick one)				
	not at all				
	nearly				
	fairly well				
	exactly				

ISBN 2-8318-8482-9



ICS 29.035.20