

# INTERNATIONAL STANDARD

**IEC**  
**60454-3-2**

Third edition  
2006-01

---

---

**Pressure-sensitive adhesive tapes  
for electrical purposes –**

**Part 3:  
Specifications for individual materials –  
Sheet 2: Requirements for polyester film tapes  
with rubber thermosetting, rubber thermoplastic  
or acrylic crosslinked adhesives**



Reference number  
IEC 60454-3-2:2006(E)

## Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

## Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

## Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** ([www.iec.ch](http://www.iec.ch))

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site ([www.iec.ch/searchpub](http://www.iec.ch/searchpub)) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications ([www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: [custserv@iec.ch](mailto:custserv@iec.ch)

Tel: +41 22 919 02 11

Fax: +41 22 919 03 00

# INTERNATIONAL STANDARD

**IEC**  
**60454-3-2**

Third edition  
2006-01

---

---

## **Pressure-sensitive adhesive tapes for electrical purposes –**

### **Part 3: Specifications for individual materials – Sheet 2: Requirements for polyester film tapes with rubber thermosetting, rubber thermoplastic or acrylic crosslinked adhesives**

© IEC 2006 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland  
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: [inmail@iec.ch](mailto:inmail@iec.ch) Web: [www.iec.ch](http://www.iec.ch)



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

PRICE CODE

**J**

*For price, see current catalogue*

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**PRESSURE-SENSITIVE ADHESIVE TAPES  
FOR ELECTRICAL PURPOSES –****Part 3: Specifications for individual materials –  
Sheet 2: Requirements for polyester film tapes  
with rubber thermosetting, rubber thermoplastic  
or acrylic crosslinked adhesives**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60454-3-2 has been prepared by IEC technical committee 15: Insulating materials.

This third edition of IEC 60454-3-2 replaces the second edition, published in 1998, and includes its consolidation with the text of IEC 60464-3-3 (1998). It constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting
15/251/FDIS	15/278/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

## INTRODUCTION

This International Standard is one of a series which deals with pressure-sensitive adhesive tapes, intended primarily for electrical purposes.

The series consists of three parts:

- Part 1: General requirements (IEC 60454-1)
- Part 2: Methods of test (IEC 60454-2)
- Part 3: Specifications for individual materials (IEC 60454-3)

This standard contains one of the sheets comprising part 3 as follows:

Sheet 2:

Requirements for polyester film tapes with rubber thermosetting, rubber thermoplastic or acrylic crosslinked adhesives

## SAFETY WARNING

It is the responsibility of the user of the methods contained or referred to in this standard to ensure that they are used in a safe manner.

## **PRESSURE-SENSITIVE ADHESIVE TAPES FOR ELECTRICAL PURPOSES –**

### **Part 3: Specifications for individual materials – Sheet 2: Requirements for polyester film tapes with rubber thermosetting, rubber thermoplastic or acrylic crosslinked adhesives**

#### **1 Scope**

This sheet of IEC 60454-3 contains the requirements for:

Polyester film tapes with rubber thermosetting, rubber thermoplastic or acrylic crosslinked adhesives

Materials which conform to this specification meet established levels of performance. However, the selection of a material by a user for a specific application should be based on the actual requirements necessary for adequate performance in that application, and not based on this specification alone.

#### **2 Normative references**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60426:1973, *Test methods for determining electrolytic corrosion with insulating materials*

IEC 60454-1:1992, *Specification for pressure-sensitive adhesive tapes for electrical purposes – Part 1: General requirements*

IEC 60454-2:1994, *Specification for pressure-sensitive adhesive tapes for electrical purposes – Part 2: Methods of test*

#### **3 Terms and definitions**

For the purposes of this document, the definitions of IEC 60454-1 apply.

#### **4 Classification and designation**

##### **4.1 Polyester film tapes with rubber thermosetting, rubber thermoplastic or acrylic crosslinked adhesives**

###### **4.1.1 The products supplied according to this specification shall be classified as follows:**

Type 1: Products having properties characteristic of a polyester film of nominal thickness 0,020 mm – 0,030 mm preferably 0,023 mm (23 µm) with a rubber thermosetting adhesive.

- Type 2: Products having properties characteristic of a polyester film of nominal thickness 0,020 mm – 0,030 mm preferably 0,023 mm (23 µm) with an acrylic crosslinked adhesive.
- Type 3: Products having properties characteristic of a polyester film of nominal thickness 0,020 mm – 0,030 mm preferably 0,023 mm (23 µm) with a flame retardant acrylic crosslinked adhesive.
- Type 4: Products having properties characteristic of a polyester film of nominal thickness 0,045 mm – 0,055 mm preferably 0,050 mm (50 µm) with a rubber thermosetting adhesive.
- Type 5: Products having properties characteristic of a polyester film of nominal thickness 0,045 mm – 0,055 mm preferably 0,050 mm (50 µm) with an acrylic crosslinked adhesive.
- Type 6: Products having properties characteristic of a polyester film of nominal thickness 0,045 mm – 0,055 mm preferably 0,050 mm (50 µm) with a flame retardant acrylic crosslinked adhesive.
- Type 7: Products having properties characteristic of a polyester film of nominal thickness 0,020 mm – 0,030 mm preferably 0,023 mm (23 µm) with a rubber thermoplastic adhesive.
- Type 8: Products having properties characteristic of a polyester film of nominal thickness 0,045 mm – 0,055 mm preferably 0,050 mm (50 µm) with a rubber thermoplastic adhesive.

#### **4.1.2 The products shall be designated for ordering purposes as follows:**

- Type 1: IEC 60454-3-2-1/F-PET/130/R-Tc
- Type 2: IEC 60454-3-2-2/F-PET/130/A-Tx
- Type 3: IEC 60454-3-2-3/F-PET/130/A-Tx
- Type 4: IEC 60454-3-2-4/F-PET/130/R-Tc
- Type 5: IEC 60454-3-2-5/F-PET/130/A-Tx
- Type 6: IEC 60454-3-2-6/F-PET/130/A-Tx
- Type 7: IEC 60454-3-2-7/F-PET/130/R-Tp
- Type 8: IEC 60454-3-2-8/F-PET/130/R-Tp

## **5 Requirements**

All applicable requirements of IEC 60454-1 shall apply to material furnished under this specification.

**5.1** The physical and electrical properties of products supplied according to this specification shall be within the limits listed in Tables 1 and 2 when tested in accordance with the test methods listed therein.

### **5.2 Thermal endurance**

Polyester film tapes with rubber thermosetting, rubber thermoplastic or acrylic crosslinked adhesives:

When required by the purchaser, the manufacturer shall provide evidence that when tested in accordance with Clause 21 of IEC 60454-2, the product has a temperature index of not less than 130 °C . The exposure temperatures are 150 °C, 160 °C and 180 °C .



The end-point criterion used shall be:

- breakdown voltage: 2,2 kV for types 1,2,3 and 7 (metal foil electrode).
- breakdown voltage: 3,5 kV for types 4,5,6 and 8 (metal foil electrode).

## 6 Test methods

All tests shall be conducted in accordance with the appropriate clauses and subclauses of IEC 60454-2.

## 7 Marking, labelling and packaging

Unless otherwise specified, all marking, labelling and. packaging shall be in accordance with the requirements of IEC 60454-1.

**Table 1 – Requirements for all types**

Sheet 2: Polyester film tapes with rubber thermosetting, thermoplastic or acrylic crosslinked adhesives

Property	Clause or subclause of IEC 60454-2	Units	Requirements
Thickness	4	mm	Nominal value per manufacturer $\pm 0,01$ mm or $\pm 15$ %, whichever is greater
Width	5	mm	7.2.1 of IEC 60454-1
Length	6	m	7.3 of IEC 60454-1
Electrolytic corrosion	7.5	$\Omega/25$ mm width	$1 \times 10^{11}$ minimum
– insulation resistance after 24 h at $(23 \pm 2)^\circ\text{C}$ and $(93 \pm 2)\%$ relative humidity; or			
– visual method	7.6	None	Grade shall be at least as good as A 1,4 (see Table 1 of IEC 60426)
Elongation at break	8	%	50 minimum
Flagging test	15 Condition per 15.5.2	mm	2 maximum
Thermal endurance	21		See 5.3

**Table 2 – Requirements for various types**

Sheet 2: Polyester film tapes with rubber thermosetting, thermoplastic or acrylic crosslinked adhesives

Property	Clause or subclause of IEC 60454-2	Units	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6	Type 7	Type 8
Tensile strength	8	N/10mm width	35 minimum	35 minimum	35 minimum	70 minimum	70 minimum	70 minimum	35 minimum	70 minimum
Adhesion to steel	11	N/10mm width	2,0 minimum	2,0 minimum	2,0 minimum	3,0 minimum	3,0 minimum	3,0 minimum	2,0 minimum	3,0 minimum
Bond separation during thermal treatment	14.1 except use (200+5) g mass and test at 130 °C		---	3 passes	3 passes	---	3 passes	3 passes	n.a	n.a
Bond separation after thermal treatment	14.2		3 passes	---	---	3 passes	---	---	n.a	n.a
Breakdown voltage - at room temperature - after humid conditioning	17 18	kV kV	4,0 minimum 4,0 minimum	4,0 minimum 4,0 minimum	4,0 minimum 4,0 minimum	6,5 minimum 6,5 minimum	6,5 minimum 6,5 minimum	6,5 minimum 6,5 minimum	4,0 minimum 4,0 minimum	6,5 minimum 6,5 minimum
Flame test	20		---	---	Flame Retardant (see Note)	---	---	Flame Retardant (see Note)		
NOTE The criteria for flame retardant is described in 20.1 of IEC 60454-2.										

## **Bibliography**

IEC 60674-3-2:1992, *Specification for plastic films for electrical purposes – Part 3: Specifications for individual materials – Sheet 2: Requirements for balanced biaxially oriented polyethylene terephthalate (PET) films used for electrical insulation*

---





## Standards Survey

The IEC would like to offer you the best quality standards possible. To make sure that we continue to meet your needs, your feedback is essential. Would you please take a minute to answer the questions overleaf and fax them to us at +41 22 919 03 00 or mail them to the address below. Thank you!

Customer Service Centre (CSC)

**International Electrotechnical Commission**

3, rue de Varembe

1211 Genève 20

Switzerland

or

Fax to: **IEC/CSC** at +41 22 919 03 00

Thank you for your contribution to the standards-making process.

**A Prioritaire**

Nicht frankieren  
Ne pas affranchir



Non affrancare  
No stamp required

**RÉPONSE PAYÉE**

**SUISSE**

Customer Service Centre (CSC)

**International Electrotechnical Commission**

3, rue de Varembe

1211 GENEVA 20

Switzerland



**Q1** Please report on **ONE STANDARD** and **ONE STANDARD ONLY**. Enter the exact number of the standard: (e.g. 60601-1-1)

.....

**Q2** Please tell us in what capacity(ies) you bought the standard (tick all that apply). I am the/a:

- purchasing agent ☐  
librarian ☐  
researcher ☐  
design engineer ☐  
safety engineer ☐  
testing engineer ☐  
marketing specialist ☐  
other.....

**Q3** I work for/in/as a:  
(tick all that apply)

- manufacturing ☐  
consultant ☐  
government ☐  
test/certification facility ☐  
public utility ☐  
education ☐  
military ☐  
other.....

**Q4** This standard will be used for:  
(tick all that apply)

- general reference ☐  
product research ☐  
product design/development ☐  
specifications ☐  
tenders ☐  
quality assessment ☐  
certification ☐  
technical documentation ☐  
thesis ☐  
manufacturing ☐  
other.....

**Q5** This standard meets my needs:  
(tick one)

- not at all ☐  
nearly ☐  
fairly well ☐  
exactly ☐

**Q6** If you ticked NOT AT ALL in Question 5 the reason is: (tick all that apply)

- standard is out of date ☐  
standard is incomplete ☐  
standard is too academic ☐  
standard is too superficial ☐  
title is misleading ☐  
I made the wrong choice ☐  
other .....

**Q7** Please assess the standard in the following categories, using the numbers:

- (1) unacceptable,  
(2) below average,  
(3) average,  
(4) above average,  
(5) exceptional,  
(6) not applicable

- timeliness.....  
quality of writing.....  
technical contents.....  
logic of arrangement of contents .....  
tables, charts, graphs, figures.....  
other .....

**Q8** I read/use the: (tick one)

- French text only ☐  
English text only ☐  
both English and French texts ☐

**Q9** Please share any comment on any aspect of the IEC that you would like us to know:

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....





ISBN 2-8318-8442-X



---

**ICS 29.035.20**

---

Typeset and printed by the IEC Central Office  
GENEVA, SWITZERLAND