

# INTERNATIONAL STANDARD

**IEC**  
**61883-2**

Second edition  
2004-08

---

---

**Consumer audio/video equipment –  
Digital interface –**

**Part 2:  
SD-DVCR data transmission**



Reference number  
IEC 61883-2:2004(E)

## Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

## Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

## Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** ([www.iec.ch](http://www.iec.ch))

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site ([www.iec.ch/searchpub](http://www.iec.ch/searchpub)) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications ([www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: [custserv@iec.ch](mailto:custserv@iec.ch)  
Tel: +41 22 919 02 11  
Fax: +41 22 919 03 00

# INTERNATIONAL STANDARD

# IEC 61883-2

Second edition  
2004-08

---

---

## Consumer audio/video equipment – Digital interface –

### Part 2: SD-DVCR data transmission

© IEC 2004 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembe, PO Box 131, CH-1211 Geneva 20, Switzerland  
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: [inmail@iec.ch](mailto:inmail@iec.ch) Web: [www.iec.ch](http://www.iec.ch)



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

PRICE CODE

**L**

*For price, see current catalogue*

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

## CONSUMER AUDIO/VIDEO EQUIPMENT – DIGITAL INTERFACE –

### Part 2: SD-DVCR data transmission

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61883-2 has been prepared by technical area 4: Digital system interfaces and protocols, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This second edition of IEC 61883-2 cancels and replaces the first edition published in 1998. This edition contains the following significant technical changes with respect to the previous edition:

- a) Added STYPE for SMPTE Type D-7 50Mbit/s system and SMPTE Type D-12 100Mbit/s system.
- b) Added specifications of IEEE 1394 packet, CIP header and transmission timing in high speed transmission.

The text of this standard is based on the following documents:

CDV	Report on voting
100/727/CDV	100/816/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 61883 consists of the following parts under the general title *Consumer audio/video equipment – Digital interface*:

Part 1: General

Part 2: SD-DVCR data transmission

Part 3: HD-DVCR data transmission

Part 4: MPEG2-TS data transmission

Part 5: SDL-DVCR data transmission

Part 6: Audio and music data transmission protocol

Part 7: Transmission of ITU-R BO.1294 System B

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this document may be issued at a later date.

# CONSUMER AUDIO/VIDEO EQUIPMENT – DIGITAL INTERFACE –

## Part 2: SD-DVCR data transmission

### 1 Scope

This part of IEC 61883 specifies the packet format and the transmission timing for SD-DVCR data. It describes the specifications for the IEEE 1394 packet, the CIP header for 525-60 and 625-50 television systems, and the transmission timing.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61834-2, *Recording – Helical-scan digital video cassette recording system using 6,35 mm magnetic tape for consumer use (525-60, 625-50, 1125-60 and 1250-50 systems) – Part 2: SD format for 525-60 and 625-50 systems*

IEC 61883-1, *Consumer audio/video equipment – Digital interface – Part 1: General*

### 3 Abbreviations

For the purposes of this document, the following abbreviations apply.

525-60 system:	the 525-line system with a frame frequency of 29,97 Hz
625-50 system:	the 625-line system with a frame frequency of 25,00 Hz
IEEE 1394 packet:	IEEE 1394 isochronous packet defined in IEC 61883-1
SD-DVCR:	standard definition digital video cassette recorder

### 4 Construction of IEEE 1394 packet

#### 4.1 Source packet structure of the SD-DVCR data stream

For the SD-DVCR data stream, the data structure for digital interface defined in IEC 61834-2, Clause 11 is used. The source packet size for SD-DVCR data stream is 480 bytes, divided into 6 DIF blocks.

The correspondence between DIF blocks and source packets for the 525-60 system and the 625-50 system are shown in Figure 1 and Figure 2 respectively.

#### 4.2 Packetization of source packet of the SD-DVCR data stream

A source packet shall not be divided and shall be equal to a data block.

Data blocks transmitted in an IEEE 1394 isochronous cycle shall be determined according to the TR value in the CIP header (see 5.2). An empty packet is placed in any cycle with no data block:

where the TR value is

00<sub>2</sub> (1x), one or no data block is transmitted;

01<sub>2</sub> (2x), two or no data block are transmitted;

10<sub>2</sub> (4x), four or no data block are transmitted.

The SYT field of the CIP header (see 5.1) is used to synchronize transmitter and receiver.

#### 4.3 Transmission order of video frames for high-speed transmission

Transmission order of data within one video frame is defined in Figure 1 and Figure 2. For high-speed transmission, the transmission order of each video frame data shall follow the time sequence.

### 5 CIP header

#### 5.1 CIP header for SD-DVCR data stream

The structure of the CIP header for the SD-DVCR data stream is conform to the two-quadlet CIP header format with SYT (see 6.2.1 of IEC 61883-1). The whole structure including the details of FDF is shown in Figure 3. The value of FMT shall be set to 000000<sub>2</sub> to indicate the DVCR signal.

#### 5.2 FDF area

The definition of the components of FDF is given as follows.

50/60: Field system

0 = 60 field system

1 = 50 field system

STYPE: Signal type of video signal in combination with 50/60 flag as shown in Table 1.

TR: TR indicates transmission rate with following values

00<sub>2</sub> = 1x ( normal transmission rate )

others = defined dependent on STYPE

Where STYPE is 000002, TR is defined as follows.

TR: 01<sub>2</sub> = 2x

10<sub>2</sub> = 4x

11<sub>2</sub> = reserved for future definition

SYT: Time stamp of the video frame synchronization (see 6.2.1 of IEC 61883-1).

#### 5.3 DBC values

Increments of DBC value shall be determined according to the TR value.

Where the TR value is:

00<sub>2</sub> (1x), the DBC value increments with 1;

01<sub>2</sub> (2x), the DBC value is a multiple of 2;

10<sub>2</sub> (4x), the DBC value is a multiple of 4.

#### 5.4 CIP header for 525-60 system

For the 525-60 system, the values of the CIP header components are as follows.

DBS:	01111000 <sub>2</sub>
FN:	00 <sub>2</sub>
QPC:	000 <sub>2</sub>
SPH:	0
DBC	(see 5.3)
FMT:	000000 <sub>2</sub>
50/60 :	0
STYPE:	00000 <sub>2</sub>
TR:	00 <sub>2</sub> = 1x, 01 <sub>2</sub> = 2x, 10 <sub>2</sub> = 4x

#### 5.5 CIP header for 625-50 system

For the 625-50 system, the values of the CIP header components are as follows.

DBS:	01111000 <sub>2</sub>
FN:	00 <sub>2</sub>
QPC:	000 <sub>2</sub>
SPH:	0
DBC	(see 5.3)
FMT:	000000 <sub>2</sub>
50/60 :	1
STYPE:	00000 <sub>2</sub>
TR:	00 <sub>2</sub> = 1x, 01 <sub>2</sub> = 2x, 10 <sub>2</sub> = 4x

### 6 Transmission timing

The transmitter shall transmit a time stamp value in the SYT field once every video frame period. The time stamp shall be transmitted in a packet that meets the following conditions:

- $\text{packet\_arrival\_time\_L} \leq \text{time stamp value}$
- $\text{time stamp value} - \text{transmission\_delay\_limit} \leq \text{packet\_arrival\_time\_F}$

where

$\text{packet\_arrival\_time\_F}$  is the cycle time when the first bit of the packet which has the time stamp has arrived at the receiver;

$\text{packet\_arrival\_time\_L}$  is the cycle time when the last bit of the packet which has the time stamp has arrived at the receiver;

$\text{transmission\_delay\_limit} = 450 \text{ } \mu\text{s}$ .

In case of  $Hx$  ( $H = 1, 2, 4$ ) transmission,  $KH$  data blocks are transmitted in a video frame period  $M$  using  $K$  isochronous packets. Isochronous packet  $n$  contains  $H$  data blocks of  $nH$ ,  $nH+1$ , ... and  $(n+1)H-1$ .

The isochronous packet  $n$  of a video frame period  $M$  shall be transmitted on the following conditions ( $n = 0, \dots, K-1$ ):



- packet\_arrival\_time\_L ≤ nominal timing for isochronous packet  $n$
- nominal timing for isochronous packet  $n$  – transmission\_delay\_limit ≤ packet\_arrival\_time\_F

where

packet\_arrival\_time\_F is the cycle time when the first bit of the isochronous packet  $n$  has arrived at the receiver;

packet\_arrival\_time\_L is the cycle time when the last bit of the isochronous packet  $n$  has arrived at the receiver;

$K$  is the number of isochronous packets without empty packets in a video frame period.

$K = 250$  (525-60 system)


$K = 300$  (625-50 system)

Nominal timing for isochronous packet  $n = T_M + (T_{M+1} - T_M) \times n/K$

$T_M$  is the time stamp for video frame period  $M$  transmitted in the SYT field.

**Table 1 – Code allocation of 50/60 and STYPE**

STYPE	50/60	
	0	1
00000	525-60 system	625-50 system
00001	SDL525-60 system	SDL625-50 system
00010	1125-60 system	1250-50 system
00011 ..... 11011	Reserved	
11100	SMPTE Type D-12 100 Mbit/s 60Hz system*	SMPTE Type D-12 100 Mbit/s 50Hz system*
11101	SMPTE Type D-7 50 Mbit/s 525-60 system*	SMPTE Type D-7 50 Mbit/s 625-50 system*
11110	SMPTE Type D-7 25 Mbit/s 525-60 system*	SMPTE Type D-7 25 Mbit/s 625-50 system*
11111	Reserved	
* Refer to SMPTE 396M.		




IEC 1211/04

**Key:**

- $H_0$ : Header DIF block  
 $SC_i$ : Subcode DIF block  $i$  ( $i = 0, 1$ )  
 $VA_i$ : VAUX DIF block  $i$  ( $i = 0, 1, 2$ )  
 $A_i$ : Audio DIF block  $i$  ( $i = 0, \dots, 8$ )  
 $V_i$ : Video DIF block  $i$  ( $i = 0, \dots, 134$ )


**Figure 1 – Source packets of SD-DVCR 525-60 system**



IEC 1212/04

- Key:
- H<sub>0</sub>: Header DIF block
  - SC<sub>*i*</sub>: Subcode DIF block *i* (*i* = 0,1)
  - VA<sub>*i*</sub>: VAUX DIF block *i* (*i* = 0,1,2)
  - A<sub>*i*</sub>: Audio DIF block *i* (*i* = 0,...,8)
  - V<sub>*i*</sub>: Video DIF block *i* (*i* = 0,...,134)

Figure 2 – Source packets of SD-DVCR 625-50 system



IEC 1213/04

Figure 3 – CIP header for DVCR

## Bibliography

The following documents contain additional information related to this standard:

- [1] IEC 61834-1, *Recording – Helical-scan digital video cassette recording system using 6,35 mm magnetic tape for consumer use (525-60, 625-50, 1125-60 and 1250-50 systems) – Part 1: General specifications*
  - [2] SMPTE 396M, *Television – Packet Format and Transmission Timing of DV-Based Data Streams over IEEE 1394*
-





## Standards Survey

The IEC would like to offer you the best quality standards possible. To make sure that we continue to meet your needs, your feedback is essential. Would you please take a minute to answer the questions overleaf and fax them to us at +41 22 919 03 00 or mail them to the address below. Thank you!

Customer Service Centre (CSC)

**International Electrotechnical Commission**

3, rue de Varembé  
1211 Genève 20  
Switzerland

or

Fax to: **IEC/CSC** at +41 22 919 03 00

Thank you for your contribution to the standards-making process.

**A Prioritaire**

Nicht frankieren  
Ne pas affranchir



Non affrancare  
No stamp required

**RÉPONSE PAYÉE**

**SUISSE**

Customer Service Centre (CSC)  
**International Electrotechnical Commission**  
3, rue de Varembé  
1211 GENEVA 20  
Switzerland



**Q1** Please report on **ONE STANDARD** and **ONE STANDARD ONLY**. Enter the exact number of the standard: (e.g. 60601-1-1)

.....

**Q2** Please tell us in what capacity(ies) you bought the standard (tick all that apply). I am the/a:

- purchasing agent ☐  
 librarian ☐  
 researcher ☐  
 design engineer ☐  
 safety engineer ☐  
 testing engineer ☐  
 marketing specialist ☐  
 other.....

**Q3** I work for/in/as a:  
(tick all that apply)

- manufacturing ☐  
 consultant ☐  
 government ☐  
 test/certification facility ☐  
 public utility ☐  
 education ☐  
 military ☐  
 other.....

**Q4** This standard will be used for:  
(tick all that apply)

- general reference ☐  
 product research ☐  
 product design/development ☐  
 specifications ☐  
 tenders ☐  
 quality assessment ☐  
 certification ☐  
 technical documentation ☐  
 thesis ☐  
 manufacturing ☐  
 other.....

**Q5** This standard meets my needs:  
(tick one)

- not at all ☐  
 nearly ☐  
 fairly well ☐  
 exactly ☐

**Q6** If you ticked NOT AT ALL in Question 5 the reason is: (tick all that apply)

- standard is out of date ☐  
 standard is incomplete ☐  
 standard is too academic ☐  
 standard is too superficial ☐  
 title is misleading ☐  
 I made the wrong choice ☐  
 other .....

**Q7** Please assess the standard in the following categories, using the numbers:

- (1) unacceptable,  
 (2) below average,  
 (3) average,  
 (4) above average,  
 (5) exceptional,  
 (6) not applicable

- timeliness.....  
 quality of writing.....  
 technical contents.....  
 logic of arrangement of contents .....  
 tables, charts, graphs, figures.....  
 other .....

**Q8** I read/use the: (tick one)

- French text only ☐  
 English text only ☐  
 both English and French texts ☐

**Q9** Please share any comment on any aspect of the IEC that you would like us to know:

.....  
 .....  
 .....  
 .....  
 .....  
 .....  
 .....  
 .....  
 .....  
 .....







ISBN 2-8318-7632-X



---

ICS 35.200; 33.160.01

---