TECHNICAL REPORT

IEC TR 61948-4

First edition 2006-11

Nuclear medicine instrumentation – Routine tests –

Part 4: Radionuclide calibrators



Reference number IEC/TR 61948-4:2006(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

IEC Web Site (<u>www.iec.ch</u>)

• Catalogue of IEC publications

The on-line catalogue on the IEC web site (<u>www.iec.ch/searchpub</u>) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

IEC Just Published

This summary of recently issued publications (<u>www.iec.ch/online_news/justpub</u>) is also available by email. Please contact the Customer Service Centre (see below) for further information.

Customer Service Centre

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: <u>custserv@iec.ch</u> Tel: +41 22 919 02 11 Fax: +41 22 919 03 00

TECHNICAL REPORT

IEC TR 61948-4

First edition 2006-11

Nuclear medicine instrumentation – Routine tests –

Part 4: Radionuclide calibrators

© IEC 2006 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия PRICE CODE

For price, see current catalogue

CONTENTS

– 2 –

FOI	FOREWORD					
INT	NTRODUCTION					
1	Scop	e and object	6			
2	Norm	ative references	6			
3	Terms and definitions					
4	Test	methods	8			
	4.1	BACKGROUND RESPONSE	8			
	4.2	Constancy of instrument response	8			
	4.3	System linearity				
	4.4	Additional checks				
	4.5	Frequency of ROUTINE TESTS	8			
Bib	Bibliography10					
Inde	Index of defined terms11					
- .			_			
l ab	Frequency of ROUTINE TESTS 9					

INTERNATIONAL ELECTROTECHNICAL COMMISSION

NUCLEAR MEDICINE INSTRUMENTATION – ROUTINE TESTS –

Part 4: Radionuclide calibrators

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between the IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of it technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC 61948-4, which is a technical report, has been prepared by subcommittee 62C: Equipment for radiotherapy, nuclear medicine and radiation dosimetry, of IEC technical committee 62: Electrical equipment in medical practice.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
62C/387/DTR	62C/401/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this technical report the following print types are used:

- requirements, compliance with which can be tested, and definitions: in roman type;
- explanation, advice, introductions, general statements, exceptions and reference: in smaller roman type;
- test specifications: in italic type;
- TERMS DEFINED IN CLAUSE 3 OF THIS TECHNICAL REPORT OR LISTED IN THE INDEX OF DEFINED TERMS: SMALL CAPITALS.

A list of all parts of the IEC 61948 series, published under the general title *Nuclear medicine instrumentation – Routine tests,* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under http://webstore.iec.ch in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

This technical report is based on the German Standard DIN 6855-11, *Qualitätsprüfung nuklearmedizinischer Messsysteme – Teil 11: Konstanzprüfung von Aktivimetern*, the English document *Protocol for Establishing and Maintaining the Calibration of Medical Radionuclide Calibrators and their Quality Control*, the Austrian document ÖNORM S 5270, *Aktivimeter – Richtlinien für die Konstanzprüfung am Verwendungsort / Radionuclide calibrators – Guidelines for the constancy testing in the field / Calibrateurs de radionuclédes – Directives pour l'essai de constance à l'endroit d'utilisation, of 1 April 1998, and the Spanish document Protocolo Nacional del Control de Calidad en la Instrumentación en Medicina Nuclear.*

NUCLEAR MEDICINE INSTRUMENTATION – ROUTINE TESTS –

Part 4: Radionuclide calibrators

1 Scope and object

This technical report covers the routine testing of radionuclide calibrators used in nuclear medicine. Such devices utilise ionization chambers of the well type (directly coupled to an appropriate electronic circuitry (IEC 61145)) and a direct readout in units of ACTIVITY. Requirements and specific methods to determine performance parameters are described in IEC 61303 and IEC 61145. These methods are primarily designed for acceptance testing.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60788:2004, Medical electrical equipment – Glossary of defined terms

IEC 61145:1992, Calibration and usage of ionization chamber systems for assay of radionuclides

IEC 61303:1994, *Medical electrical equipment – Radionuclide calibrators – Particular methods for describing performance*

IEC 61948-1:2001, Nuclear medicine instrumentation – Routine tests – Part 1: Radiation counting systems

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60788:2004, IEC 61303:1994 and IEC 61145:1992, some of which are repeated here for convenience, and the following terms and definitions apply.

3.1

acceptance test

test carried out at the request and with the participation of the user or his representative to ascertain by determination of proper performance parameters that the instrument meets the specifications claimed by the vendor

NOTE An ACCEPTANCE TEST should be carried out at the time of installation and when appropriate after major service. During or immediately after acceptance testing, REFERENCE DATA are collected to be used as a standard for comparison with future ROUTINE TESTS.

[IEC 61948-1:2001, definition 3.2.1]

3.2

routine test

test of a piece of equipment or its components which is repeated at specified intervals, to establish and document changes from the initial status described by REFERENCE DATA

NOTE A ROUTINE TEST could be carried out by the user with simple methods and equipment.

[IEC TR 61948-1:2001, definition 3.2.2]

3.3

ionization chamber test source

RADIOACTIVE SOURCE used for the determination of the long-term stability of an ionization chamber. The half-life of the source shall be greater than five years and the effects of any radioactive contaminants shall be such that the indication of the device over a period of five years would not deviate by more than 0,5 % after decay correction for the known half-life of the principal radionuclide

[IEC 61303:1994, definition 2.7]

NOTE The IONIZATION CHAMBER TEST SOURCE is used to test the functionality of a radionuclide calibrator under defined conditions.

3.4

radionuclide factor

factor, dependent on the radionuclide, by which the response of the system must be multiplied in order to obtain the correct ACTIVITY reading of a source which has been placed in the ionization chamber

[IEC 61303:1994, definition 2.2]

3.5

system linearity

function relating the observed and predicted ACTIVITY values when the activity of a specified RADIOACTIVE SOURCE is varied

[IEC 61303:1994, definition 2.4]

3.6

background response

reading of the instrument without intended radioactive source

NOTE The BACKGROUND RESPONSE is caused by external radiation fields, but in addition also by electronic noise and contamination.

3.7

radioactive standard source

general term used to refer to the standard sources listed below

[IEC 61303:1994, definition 2.1]

3.7.1

certified radioactive standard source

RADIOACTIVE SOURCE that has been calibrated by a laboratory recognized as a country's national standardizing laboratory for radioactivity measurements and has been so certified by the aforementioned laboratory

[IEC 61303:1994, 2.1.1]

3.7.2

TRACEABLE RADIOACTIVE STANDARD SOURCE

RADIOACTIVE SOURCE that has been calibrated by comparing it to a CERTIFIED RADIOACTIVE STANDARD SOURCE or to another TRACEABLE RADIOACTIVE STANDARD SOURCE of the same radionuclide

[IEC 61303:1994, 2.1.2]

3.8

reference data

a set of data measured immediately after acceptance testing, using test methods designed for routine testing

[IEC TR 61948-1:2001, definition 3.2.3]

3.9

radionuclide calibrator

device for measuring the activity of a radioactive sample

[IEC TR 61303:1994, definition 2.11]

4 Test methods

4.1 BACKGROUND RESPONSE

The BACKGROUND RESPONSE shall be obtained with the setting that corresponds to the most often used nuclide. The measurement should be made with the sample holder in place.

4.2 Constancy of instrument response

The constancy of instrument response of the radionuclide calibrator and, hence, its calibration shall be obtained for a specified radionuclide setting by inserting the IONIZATION CHAMBER TEST SOURCE into the measurement position. The instrument reading shall be compared to the REFERENCE DATA.

4.3 SYSTEM LINEARITY

4.3.1 General

The test of SYSTEM LINEARITY shall cover all the range of ACTIVITY used in the facility. The sample of the radionuclide used shall be introduced into the measuring position of the device under test. The ACTIVITY shall be measured so that at least one data point is measured per decade of the instrument scale.

4.3.2 Decaying source method

SYSTEM LINEARITY is tested using the radioactive decay of a sample of a short-lived radionuclide, e.g. ^{99m}Tc. The time intervals between the individual measurements shall be so chosen that at least one data point is measured per decade of the instrument scale.

4.3.3 Data analysis

Applying a mono-exponential fit to the measured data in the range 1 MBq and the 80 % of the highest activity used, the ratio of the measured ACTIVITY to expected ACTIVITY shall be calculated for each measurement point.

4.4 Additional checks

When additional checks are recommended in the operation manual, they should also be performed at the frequency suggested by the MANUFACTURER.

4.5 Frequency of ROUTINE TESTS

ROUTINE TEST shall be carried out at the time intervals given in Table 1.

Test	Clause	Frequency
BACKGROUND RESPONSE with sample holder for one radionuclide setting	4.1	Daily (each day the instrument is used)
Constancy of instrument response for one radionuclide setting	4.2	Daily (each day the instrument is used)
Constancy of instrument response for all radionuclide settings used	4.2	Weekly
SYSTEM LINEARITY for one radionuclide setting	4.3	Yearly
Additional checks according to operator's manual	4.4	According to manufacturer recommendations

Table 1 – Frequency of ROUTINE TESTS

Bibliography

- 10 -

DIN 6855-11, Qualitätsprüfung nuklearmedizinischer Messsysteme – Teil 11: Konstanzprüfung von Aktivimetern

NPL, Protocol for Establishing and Maintaining the Calibration of Medical Radionuclide Calibrators and their Quality Control

ÖNORM S 5270:1998, Aktivimeter – Richtlinien für die Konstanzprüfung am Verwendungsort / Radionuclide calibrators – Guidelines for the constancy testing in the field / Calibrateurs de radionucléides – Directives pour l'essai de constance à l'endroit d'utilisation

Protocolo Nacional del Control de Calidad en la Instrumentación en Medicina Nuclear

Index of defined terms

- 11 -

Index of terms	Source reference
ACCEPTANCE TEST	IEC 61948-1:2001, 3.2.1
ACTIVITY	IEC TR 60788:2004, rm-13-18
BACKGROUND RESPONSE	IEC 61948-4, 3.6
CERTIFIED RADIOACTIVE STANDARD SOURCE	IEC 61303:1994, 2.1.1
IONIZATION CHAMBER TEST SOURCE	IEC 61303:1994, 2.7
MANUFACTURER	IEC 60601-1:2005, 3.55
RADIOACTIVE SOURCE	IEC TR 60788:2004, rm-20-02
RADIOACTIVE STANDARD SOURCE	IEC 61303:1994, 2.1
RADIONUCLIDE CALIBRATOR	IEC 61303:1994, 2.11
RADIONUCLIDE FACTOR	IEC 61303:1994, 2.2
REFERENCE DATA	IEC 61948-1:2001, 3.2.3
ROUTINE TEST	IEC 61948-1:2001, 3.2.2
SYSTEM LINEARITY	IEC 61303:1994, 2.4
TRACEABLE RADIOACTIVE STANDARD SOURCE	IEC 61303:1994, 2.1.2

LICENSED TO MECON Limited. - RANCHI/BANGALORE FOR INTERNAL USE AT THIS LOCATION ONLY, SUPPLIED BY BOOK SUPPLY BUREAU.



The IEC would like to offer you the best quality standards possible. To make sure that we continue to meet your needs, your feedback is essential. Would you please take a minute to answer the questions overleaf and fax them to us at +41 22 919 03 00 or mail them to the address below. Thank you!

Customer Service Centre (CSC)

International Electrotechnical Commission 3, rue de Varembé 1211 Genève 20 Switzerland

or

Fax to: IEC/CSC at +41 22 919 03 00

Thank you for your contribution to the standards-making process.



Nicht frankieren Ne pas affranchir



Non affrancare No stamp required

RÉPONSE PAYÉE SUISSE

Customer Service Centre (CSC) International Electrotechnical Commission 3, rue de Varembé 1211 GENEVA 20 Switzerland

Q1	Please report on ONE STANDARD and ONE STANDARD ONLY . Enter the exact number of the standard: <i>(e.g. 60601-1-1)</i>			If you ticked NOT AT ALL in Question 5 the reason is: <i>(tick all that apply)</i>	
)		standard is out of date	
				standard is incomplete	
				standard is too academic	
Q2	Please tell us in what capacity(ies) you bought the standard (tick all that apply). I am the/a:			standard is too superficial	
				title is misleading	
				I made the wrong choice	
	purchasing agent			other	
	librarian				
	researcher				
	design engineer		Q7	Please assess the standard in the	
	safety engineer		u ,	following categories, using	
	testing engineer			the numbers:	
	marketing specialist			(1) unacceptable,	
	other			(2) below average, (3) average,	
				(4) above average,	
Q3	l work for/in/as a:			(5) exceptional,	
Q.)	(tick all that apply)			(6) not applicable	
				timeliness	
	manufacturing			quality of writing	
	consultant			technical contents	
	government			logic of arrangement of contents	
	test/certification facility			tables, charts, graphs, figures	
	public utility			other	
	education				
	military				
	other		Q8	I read/use the: (tick one)	
Q4	This standard will be used for:			French text only	
44	(tick all that apply)			English text only	
				both English and French texts	
	general reference				_
	product research				
	product design/development				
	specifications		Q9	Please share any comment on any	
	tenders			aspect of the IEC that you would like us to know:	
	quality assessment			us to know.	
	certification				
	technical documentation				
	thesis				
	manufacturing				
	other				
Q5	This standard meets my needs:				•••••
	(tick one)				
	not at all				
	nearly				
	fairly well				
	exactly				

LICENSED TO MECON Limited. - RANCHI/BANGALORE FOR INTERNAL USE AT THIS LOCATION ONLY, SUPPLIED BY BOOK SUPPLY BUREAU.



ICS 11.040.50