# INTERNATIONAL STANDARD



First edition 2006-12

# Modular component interfaces for surface-mount fluid distribution components –

Part 1: Elastomeric seals



Reference number IEC 62339-1:2006(E) As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

#### **Consolidated editions**

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

#### Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

IEC Web Site (<u>www.iec.ch</u>)

#### Catalogue of IEC publications

The on-line catalogue on the IEC web site (<u>www.iec.ch/searchpub</u>) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

#### IEC Just Published

This summary of recently issued publications (<u>www.iec.ch/online\_news/justpub</u>) is also available by email. Please contact the Customer Service Centre (see below) for further information.

#### Customer Service Centre

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: <u>custserv@iec.ch</u> Tel: +41 22 919 02 11 Fax: +41 22 919 03 00

## INTERNATIONAL STANDARD

First edition 2006-12

# Modular component interfaces for surface-mount fluid distribution components –

Part 1: Elastomeric seals

© IEC 2006 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия



Н

For price, see current catalogue

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## MODULAR COMPONENT INTERFACES FOR SURFACE-MOUNT FLUID DISTRIBUTION COMPONENTS –

## Part 1: Elastomeric seals

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committee; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62339-1 has been prepared by subcommittee 65D: Analysing equipment, of IEC technical committee 65: Industrial-process measurement and control.

This standard cancels and replaces IEC/PAS 62339-1 published in 2003. This first edition constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting
65D/130/FDIS	65D/131/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

## MODULAR COMPONENT INTERFACES FOR SURFACE-MOUNT FLUID DISTRIBUTION COMPONENTS –

## Part 1: Elastomeric seals

## 1 Scope and object

This International Standard applies to all types of surface-mount fluid distribution components with elastomeric sealing devices used within process analyser and sample-handling systems. This includes components such as valves, filters, regulators, transducers, and controllers.

The scope of this standard is limited as follows.

- a) This standard addresses only surface-mount fluid distribution components and proper sealing methods. This standard is limited to sealing methods using elastomeric material for the seals.
- b) The designs of the actual system components and the flow substrate are not specified in this standard. Any indication of mounting direction or other indexing is left to the manufacturer as required for its equipment.
- c) Users shall be aware that, on the basis of the stream conditions of their processes, other technologies and components may be readily available.
- d) This standard does not address the effects of various stream conditions on the technical functionality of the component.
- e) This standard does not address maintenance concerns for the components.
- f) This standard does not refer to design issues pertaining to specific safety requirements. These issues should be referenced to other standards, organizations, and recommended guidelines.
- g) International, national, and local codes, regulations, and laws should be consulted to ensure that each component meets the user's regulatory requirements.

The object of this standard is to establish properties and physical dimensions that define the interface for surface-mount fluid distribution components with elastomeric sealing devices used within process analyser and sample-handling systems. The interface controls the dimensions and location of the sealing surfaces to allow change of just one element of the system without modification of the entire system. This is what makes the system modular from both a design and a maintenance standpoint.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ANSI/ISA-76.00.02:2002, Modular Component Interfaces for Surface-Mounted Fluid Distribution Components – Part 1: Elastomeric seals

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

### 3.1

#### modular interface

boundary between an independently operable part of a flow system and the flow substrate to which it is connected

#### 3.2

#### surface finish

final surface specifications of the substrate block, interface plate, sealing grooves, and seal devices

#### 3.3

#### surface mount

arrangement of independent flow conditioning system modules upon a defined flow substrate

#### 4 Ordering components with the modular interface

This standard may be used when specifying systems employing this modular component design. It conveys the concept of the modular system and provides "footprint" dimensions to permit interchangeability of components.

Purchase specifications for components in accordance with this standard shall include the standard number, date of issue, and references to the correct figure number.

### 5 Material requirements

#### 5.1 Material certifications

Material certifications shall be obtained and shall include chemical analysis and mechanical properties. For materials ordered to specifications that do not include mechanical properties, the manufacturer shall specify minimum mechanical properties.

#### 5.2 Bolt torque requirements

To ensure the performance of these systems, users are cautioned to adhere to bolt torque requirements as specified by the manufacturer.

### 6 Sealing surface requirements

#### 6.1 Surface roughness

The sealing surface (flat surface of the bottom of the mounting flange) shall have a maximum surface roughness of 0,8 micrometers (32 micro-inches)  $R_{a max}$  in the area required for sealing.

#### 6.2 Surface condition

The sealing surface shall not have any radial scratches in the area required for sealing that are visible to non-magnified normal vision.

#### 6.3 Area required for sealing

The area required for sealing shall be defined as a surface with a diameter of 8,0 mm, with its centre coincident with each required pressure connection.

### 7 Dimensional requirements

Surface-mount fluid distribution components designed to span multiple positions, regardless of function, shall be dimensioned to interface with

- (a) the 38,2 mm (1,5 inch) footprint, spaced on 38,9 mm (1,3 inch) centrelines, with flow and bolt locations positionally toleranced to the same numeric values as a single position component (see Figure 1, taken from ANSI/ISA-76.00.02:2002); or
- (b) the 57,2 mm (2,25 inch) footprint, spaced on 58,0 mm (2,28 inch) centrelines, with flow and bolt locations positionally toleranced to the same numeric values as a single position component (see Figure 2, taken from ANSI/ISA-76.00.02:2002).

All dimensions in mm



Figure 1 – Standard block for surface-mounted distribution components



Figure 2 – Optional block for larger surface-mounted distribution components

### All dimensions in millimetres

## **Bibliography**

ISO 4288:1996, Geometrical Products Specification (GPS) – Surface texture: Profile method – Rules and procedures for the assessment of surface texture

ASME Y14.5M:1999, Dimensioning and Tolerancing

LICENSED TO MECON Limited. - RANCHI/BANGALORE FOR INTERNAL USE AT THIS LOCATION ONLY, SUPPLIED BY BOOK SUPPLY BUREAU.



The IEC would like to offer you the best quality standards possible. To make sure that we continue to meet your needs, your feedback is essential. Would you please take a minute to answer the questions overleaf and fax them to us at +41 22 919 03 00 or mail them to the address below. Thank you!

Customer Service Centre (CSC)

International Electrotechnical Commission 3, rue de Varembé 1211 Genève 20 Switzerland

or

Fax to: IEC/CSC at +41 22 919 03 00

Thank you for your contribution to the standards-making process.







Non affrancare No stamp required

RÉPONSE PAYÉE SUISSE

Customer Service Centre (CSC) International Electrotechnical Commission 3, rue de Varembé 1211 GENEVA 20 Switzerland

Q1	Please report on <b>ONE STANDARD</b> and <b>ONE STANDARD ONLY</b> . Enter the exact number of the standard: (e.g. 60601-1-1)		Q6	If you ticked NOT AT ALL in Question 5 the reason is: <i>(tick all that apply)</i>	
		,		standard is out of date	
				standard is incomplete	
				standard is too academic	
Q2	Please tell us in what capacity(ies) you			standard is too superficial	
	bought the standard (tick all that apply).			title is misleading	
				I made the wrong choice	
	purchasing agent			other	
	librarian				
	researcher				
	design engineer		07	Please assess the standard in the	
	safety engineer		<b>u</b> ,	following categories, using	
	testing engineer			the numbers:	
	marketing specialist			(1) unacceptable,	
	other			(2) below average, (3) average	
				(4) above average.	
03	Lwork for/in/ac a:			(5) exceptional,	
Q3	(tick all that apply)			(6) not applicable	
				timolinoco	
	manufacturing			quality of writing	
	consultant			technical contents	
	government			logic of arrangement of contents	
	test/certification facility			tables, charts, graphs, figures	
	public utility			other	
	education				
	military				
	other		Q8	I read/use the: (tick one)	
04	This standard will be used for:			French text only	
44	(tick all that apply)			English text only	
				both English and French texts	
	general reference				_
	product research				
	product design/development				
	specifications		Q9	Please share any comment on any	
	tenders			aspect of the IEC that you would like	
	quality assessment			us to know.	
	certification				
	technical documentation				
	thesis				
	manufacturing				
	other				
Q5	This standard meets my needs:				•••••
	(tick one)				
	not at all				
	noraran				
	fairly well				
	exactly				

LICENSED TO MECON Limited. - RANCHI/BANGALORE FOR INTERNAL USE AT THIS LOCATION ONLY, SUPPLIED BY BOOK SUPPLY BUREAU.



ICS 23.040.80; 25.040.40