

TECHNICAL SPECIFICATION

**Nanotechnologies – Vocabulary –
Part 9: Nano-enabled electrotechnical products and systems**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



TECHNICAL SPECIFICATION

Nanotechnologies – Vocabulary – Part 9: Nano-enabled electrotechnical products and systems

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 07.120

ISBN 978-2-8322-3765-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
3.1 General terms related to nano-enabled electrotechnical products and systems	6
3.2 Terms related to nano-enabled photovoltaics and thin-film organic electronics	8
3.3 Terms related to luminescent nanomaterials	9
Alphabetical index.....	10
Bibliography.....	11

INTERNATIONAL ELECTROTECHNICAL COMMISSION

NANOTECHNOLOGIES – VOCABULARY –**Part 9: Nano-enabled electrotechnical products and systems**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical Specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 80004-9, which is a Technical Specification, has been prepared by IEC technical committee 113: Nanotechnology for electrotechnical products and systems.

The text of this standard is based on the following documents:

Enquiry draft	Report on voting
113/315/DTS	113/335/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the 80004 Technical Specification, published under the general title *Nanotechnologies – Vocabulary*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- transformed into an International Standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

Nanotechnology advances have profound implications in all branches of engineering and science and have a noticeable impact on established industries by introducing technological innovation. Within the electrotechnical industry, nanotechnologies play an important role as regards the miniaturization and the integration of electronic components as well as the fabrication of electrical devices with novel functionalities and improved performances.

There is a substantial investment in research that will bring development and wide diffusion of new nanomaterials, devices and systems. Examples include nanoscale interconnects made with carbon nanotube bundles and graphene nanoribbons to replace copper and overcome physical and performance limits in integrated electronics. Carbon-based nanostructures are promising for nanoscale transistors in post-silicon electronics, enabling higher integration and faster switching speeds and lighting devices with more efficient and powerful electron emission. Nanoscale sensors and nano-electromechanical systems are also being widely investigated.

Recent progress in the synthesis of nanomaterials and composites with nanoscale phases offers real opportunities for application in electrochemical systems-technology to obtain, for example, more efficient and inexpensive fuel cells and nano-enabled lithium ion batteries with extended capacity. High energy storage capacity, reaching and exceeding that of modern batteries, is the target of new ultra-capacitors exploiting state-of-the-art nanotechnology. Developments in solar cells via nanostructures are intended to reduce costs as well as improve the conversion efficiency. The aforementioned products are just some electrotechnical examples that exploit nanotechnologies and are in rapid and constant evolution.

However, such a fast moving technology, as well as its high multidisciplinary nature, inevitably generates a multiplicity of new scientific and technical terms often with ambiguous definitions. The objective of this document is the compilation of a list of terms and definitions useful for persons operating in the field of nanotechnologies and in the production of electrotechnical products and systems.

NANOTECHNOLOGIES – VOCABULARY –

Part 9: Nano-enabled electrotechnical products and systems

1 Scope

This document specifies terms and definitions for electrotechnical products and systems reliant on nanomaterials for their essential functionalities. It is intended to facilitate communications between organizations and individuals in industry and those who interact with them.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

3.1 General terms related to nano-enabled electrotechnical products and systems

3.1.1 device

material element or assembly of such elements intended to perform a required function

Note 1 to entry: A device can form part of a larger device.

[SOURCE: IEC 60050-151:2001, 151-11-20]

3.1.2 molecular electronics

field of science and technology concerned with the design and fabrication of electronic devices using molecules as components

Note 1 to entry: Some molecules need to be functionalized in order to act as components.

[SOURCE: ISO/TS 80004-12:2016, 6.1]

3.1.3 nano-electromechanical system NEMS

nanoscale device or embedded system involving one or more electronic and non-electronic components enabling the integration of electric and mechanical functionality of the system

Note 1 to entry: The components can be organic, inorganic or hybrid nanotechnology-based and function on the nanoscale for sensing, actuation, signal processing, display, or control of the interface.

Note 2 to entry: The components can be micro- or nano-machined to produce free surfaces and volumes which will be able to couple with the environment so that an electric transduction of a physical, optical, chemical, or biological phenomenon is produced.

3.1.4 nanoelectronics

field of science and technology concerned with the development and production of functional electronic devices with nanoscale components

[SOURCE: ISO/TS 80004-12:2016, 6.2]

3.1.5**nano-enabled device**

device where the material elements or assembly of such elements exhibit performance or function only possible with nanotechnology

Note 1 to entry: The material is nanomaterial with any external dimension in the nanoscale or having internal structure or surface structure in the nanoscale.

Note 2 to entry: The function or performance exhibited is measurable and significant for the application of the nano-enabled device.

Note 3 to entry: Applications of nano-enabled device can include, but are not limited to, energy storage devices (capacitors, materials for lithium ion battery, fuel cell membrane, etc.), photovoltaic, organic electronics, and electro-optical devices.

3.1.6**nano-ink**

formulation containing nanomaterials for use in printing

Note 1 to entry: Applications of nano-ink include printing semiconducting organic polymers or paper or plastic to create an electronically functional device.

3.1.7**nanomanipulator**

high-precision device used for working with nanomaterial at the nanoscale

Note 1 to entry: In the field of electrotechnical products and systems, nanomanipulators can be used as in-situ electric probes.

3.1.8**nanoscale electric contact****nanoscale contact**

electric contact connecting two or more objects with an interface having one or two dimensions in the nanoscale

3.1.9**nanoscale contact resistance**

electric resistance associated with a nanoscale contact

3.1.10**nanoscale device**

device where the material elements or assembly of such elements are in the nanoscale

Note 1 to entry: The material is nanomaterial with any external dimension in the nanoscale or having internal structure or surface structure in the nanoscale.

3.1.11**nanoscale electric interconnect****nanoscale interconnect**

series of conductors or conductive materials connected together by nanoscale contacts that can pass electric energy

3.1.12**nano-subassembly**

nano-enabled component of a product

3.1.13**nanowire**

electrically conducting or semi-conducting nanofibre

3.1.14

single-electron transistor

transistor (IEV 521-04-46) where current transmitted can be controlled down to one electron

3.2 Terms related to nano-enabled photovoltaics and thin-film organic electronics

3.2.1

dye-sensitized photovoltaic cell

DSSC

essential part of a device in which the conversion of light into electrical energy is achieved by a photochemical system comprising a photo-sensitive anode and an electrolyte

Note 1 to entry: A dye-sensitized photovoltaic cell is a special type of photovoltaic nano-enabled device wherein the anode nanomaterial is stained by a photo sensitizer.

3.2.2

nanowire photovoltaic cell

essential part of a photovoltaic device with nanowires deposited or grown upward from a substrate, creating a surface that is able to absorb more sunlight than can a flat surface

3.2.3

organic electronics

OE

polymer electronics

plastics electronics

branch of electronics which uses organic materials for the fabrication of passive and active electronic components

3.2.4

organic and large area electronics

OLAE

branch of organic electronics with the potential to fabricate large ($>> 1 \text{ mm}^2$) area electronic devices

Note 1 to entry: The electronic devices can also contain parts that are made with inorganic materials.

Note 2 to entry: The fabrication methods include vacuum processes as well as various methods of printing.

3.2.5

organic light emitting diode

OLED

light emitting diode in which light is emitted from organic materials

Note 1 to entry: An organic light emitting diode is a special type of nano-enabled light emitting diode based on small organic molecules or polymers.

[SOURCE: IEC 62341-1-2:2014, 2.2.25]

3.2.6

organic photovoltaic device

OPV

device in which the conversion of light into electric energy is achieved by organic materials

Note 1 to entry: An organic photovoltaic device is a special type of nano-enabled photovoltaic device based on small organic molecules or polymers acting as a donor/acceptor pair.

3.2.7

plasmonic photovoltaic cell

special type of photovoltaic device in which its optical properties are modified by incorporating metal nanoparticles to the semiconductor layer of the device

Note 1 to entry: The nanostructure of the metal nanoparticles increases the absorption and scattering of incident light and supports strong localized collective electron excitations known as surface plasmons.

Note 2 to entry: A plasmon resonance generating metallic nanostructure is provided on the semiconductor layer of the device for resonantly coupling light into the absorbing layer and transporting photo-induced charge carriers out of the absorbing layer, thereby improving the performance of the device.

3.2.8

quantum well photovoltaic cell

photovoltaic cell in which the photovoltaic effect occurs due to the presence of semiconductor quantum wells

3.2.9

quantum well

potential well which enables quantum confinement of particles in one dimension

Note 1 to entry: Sometimes, this term is used for more general conditions than one dimension.

[SOURCE: ISO/TS 80004-12:2016, 4.2]

3.3 Terms related to luminescent nanomaterials

3.3.1

luminescent nanomaterial

nanomaterial that can emit visible light by electric or optical excitation

Note 1 to entry: Luminescent nanomaterials include luminescent nano-objects and quantum dots.

Alphabetical index

D

dye-sensitized photovoltaic cell (DSSC), 3.2.1
device, 3.1.1

L

luminescent nanomaterial, 3.3.1

M

molecular electronics, 3.1.2

N

nano-electromechanical systems, 3.1.3
nanoelectronics, 3.1.4
nano-enabled device, 3.1.5
nano-ink, 3.1.6
nanomanipulator, 3.1.7
nanoscale contact resistance, 3.1.9
nanoscale device, 3.1.10
nanoscale electric contact, 3.1.8
nanoscale electric interconnect, 3.1.11
nano-subassembly, 3.1.12
nanowire, 3.1.13
nanowire photovoltaic cell, 3.2.2

O

organic and large area electronics (OLAE), 3.2.4
organic electronics (OE), 3.2.3
organic light emitting diode (OLED), 3.2.5
organic photovoltaic device (OPV), 3.2.6

P

plasmonic photovoltaic cell, 3.2.7

Q

quantum well, 3.2.9
quantum well photovoltaic cell, 3.2.8

S

single-electron transistor, 3.1.14

Bibliography

- [1] ISO/TS 80004-1:2015, *Nanotechnologies – Vocabulary – Part 1: Core terms*
 - [2] ISO/TS 80004-2:2015, *Nanotechnologies – Vocabulary – Part 2: Nano-objects*
 - [3] ISO/TS 80004-3:2010, *Nanotechnologies – Vocabulary – Part 3: Carbon nano-objects*
 - [4] ISO/TS 80004-4:2011, *Nanotechnologies – Vocabulary – Part 4: Nanostructured materials*
 - [5] ISO/TS 80004-12:2016, *Nanotechnologies – Vocabulary – Part 12: Quantum phenomena in nanotechnology*
 - [6] IEC 62341-1-2:2014, *Organic light emitting diode (OLED) displays – Part 1-2: Terminology and letter symbols*
-

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

3, rue de Varembé
PO Box 131
CH-1211 Geneva 20
Switzerland

Tel: + 41 22 919 02 11
Fax: + 41 22 919 03 00
info@iec.ch
www.iec.ch