INTERNATIONAL STANDARD

ISO 31-1:1992 31-2:1992 31-3:1992 31-4:1992 31-5:1992 31-6:1992 31-7:1992 31-8:1992 31-9:1992 31-10:1992 31-12:1992 31-13:1992

> AMENDMENT 1 1998-12-15

Quantities and units —

Part 1: Space and time

Part 2: Periodic and related phenomena

Part 3: Mechanics

Part 4: Heat

Part 5: Electricity and magnetism

Part 6: Light and related electromagnetic radiations

Part 7: Acoustics

Part 8: Physical chemistry and molecular physics

Part 9: Atomic and nuclear physics

Part 10: Nuclear reactions and ionizing radiations

Part 12: Characteristic numbers

Part 13: Solid state physics

AMENDMENT 1

Grandeurs et unités -

Partie 1: Espace et temps

Partie 2: Phénomènes périodiques et connexes

Partie 3: Mécanique

Partie 4: Chaleur

Partie 5: Électricité et magnétisme

Partie 6: Lumière et rayonnements électromagnétiques connexes

Partie 7: Acoustique

Partie 8: Chimie physique et physique moléculaire

Partie 9: Physique atomique et nucléaire

Partie 10: Réactions nucléaires et rayonnements ionisants

Partie 12: Nombres caractéristiques

Partie 13: Physique de l'état solide

AMENDEMENT 1

This material is reproduced from ISO documents under International Organization for Standardization (ISO) Copyright License Number IHS/ICC/1996. Not for resale. No part of these ISO documents may be reproduced in any form, electronic retrieval system or otherwise, except as allowed in the copyright law of the country of use, or with the prior written consent of ISO (Case postale 56, 1211 Geneva 20, Switzerland, Fax + 41 22 734 10 79), IHS or the ISO Licensor's members.



STD-ISO 31-7-ENGL 1992 - 4851903 0775647 087 - ISO 31 (parts 1 to 10, 12 and 13):1992/Amd.1:1998(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Amendment 1 to parts 1 to 10, 12 and 13 of International Standard ISO 31:1992 was prepared by Technical Committee ISO/TC 12, *Quantities, units, symbols, conversion factors.*

© ISO 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case postate 56 • CH-1211 Genève 20 • Switzerland
Internet iso@iso.ch

Printed in Switzerland

© ISO

ISO 31-1:1992/Amd.1:1998(E)
ISO 31-2:1992/Amd.1:1998(E)
ISO 31-3:1992/Amd.1:1998(E)
ISO 31-4:1992/Amd.1:1998(E)
ISO 31-5:1992/Amd.1:1998(E)
ISO 31-6:1992/Amd.1:1998(E)
ISO 31-8:1992/Amd.1:1998(E)
ISO 31-9:1992/Amd.1:1998(E)
ISO 31-10:1992/Amd.1:1998(E)
ISO 31-12:1992/Amd.1:1998(E)
ISO 31-13:1992/Amd.1:1998(E)

Quantities and units -

Part 1: Space and time

Part 2: Periodic and related phenomena

Part 3: Mechanics

Part 4: Heat

Part 5: Electricity and magnetism

Part 6: Light and related electromagnetic radiations

Part 7: Acoustics

Part 8: Physical chemistry and molecular physics

Part 9: Atomic and nuclear physics

Part 10: Nuclear reactions and ionizing radiations

Part 12: Characteristic numbers

Part 13: Solid state physics

AMENDMENT 1

Page v

Replace subclause 0.3.2 with the following text:

0.3.2 Remark on units for quantities of dimension one

The coherent unit for any quantity of dimension one is the number one, symbol 1. When the value of such a quantity is expressed, the unit symbol 1 is generally not written out explicitly.

EXAMPLE

Refractive index $n = 1,53 \times 1 = 1,53$

Prefixes shall not be used to form multiples or submultiples of this unit. Instead of prefixes, powers of 10 may be used.

EXAMPLE

Reynolds number $Re = 1.32 \times 10^3$

Considering that plane angle is generally expressed as the ratio of two lengths and solid angle as the ratio of two areas, in 1995 the CGPM has specified that, in the International System of Units, the radian, rad, and the steradian, sr, are "dimensionless" derived units. This implies that the quantities plane angle and solid angle are considered as derived quantities of dimension one. The units radian and steradian may be omitted, or they may be used in expressions for derived units to facilitate distinction between quantities of different nature but having the same dimension.

ISO 31 (parts 1 to 10, 12 and 13):1992/Amd.1:1998(E)

© ISO

ICS 01.060

Price based on 1 page

ISO 31 PT*7 92 **= 4**851903 0508061 528 **=**

INTERNATIONAL STANDARD

ISO 31-7

Second edition 1992-09-01

Quantities and units —

Part 7:

Acoustics

Grandeurs et unités — Partie 7: Acoustique



Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 31-7 was prepared by Technical Committee ISO/TC 12, Quantities, units, symbols, conversion factors.

This second edition cancels and replaces the first edition (ISO 31-7:1978). The major technical changes from the first edition are the following:

- the decision by the International Committee for Weights and Measures (Comité International des Poids et Mesures, CIPM) in 1980 concerning the status of supplementary units has been incorporated;
- the special remark on logarithmic quantities and units has been elaborated;
- the annex on CGS units has been deleted.

The scope of Technical Committee ISO/TC 12 is standardization of units and symbols for quantities and units (and mathematical symbols) used within the different fields of science and technology, giving, where necessary, definitions of these quantities and units. Standard conversion factors for converting between the various units also come under the scope of the TC. In fulfilment of this responsibility, ISO/TC 12 has prepared ISO 31.

C ISO 1992

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case Postale 56 • CH-1211 Genève 20 • Switzerland ISO 31 consists of the following parts, under the general title *Quantities* and units:

- Part 0: General principles
- Part 1: Space and time
- Part 2: Periodic and related phenomena
- Part 3: Mechanics
- Part 4: Heat
- Part 5: Electricity and magnetism
- Part 6: Light and related electromagnetic radiations
- Part 7: Acoustics
- Part 8: Physical chemistry and molecular physics
- Part 9: Atomic and nuclear physics
- Part 10: Nuclear reactions and ionizing radiations
- Part 11: Mathematical signs and symbols for use in the physical sciences and technology
- Part 12: Characteristic numbers
- Part 13: Solid state physics

• ISO

Introduction

0.1 Arrangement of the tables

The tables of quantities and units in ISO 31 are arranged so that the quantities are presented on the left-hand pages and the units on the corresponding right-hand pages.

All units between two full lines belong to the quantities between the corresponding full lines on the left-hand pages.

Where the numbering of an item has been changed in the revision of a part of ISO 31, the number in the preceding edition is shown in parentheses on the left-hand page under the new number for the quantity; a dash is used to indicate that the item in question did not appear in the preceding edition.

0.2 Tables of quantities

The most important quantities within the field of this document are given together with their symbols and, in most cases, definitions. These definitions are given merely for identification; they are not intended to be complete.

The vectorial character of some quantities is pointed out, especially when this is needed for the definitions, but no attempt is made to be complete or consistent.

In most cases only one name and only one symbol for the quantity are given; where two or more names or two or more symbols are given for one quantity and no special distinction is made, they are on an equal footing. When two types of italic (sloping) letter exist (for example as with $\vartheta, \theta; \varphi, \phi; g, g$) only one of these is given. This does not mean that the other is not equally acceptable. In general it is recommended that such variants should not be given different meanings. A symbol within parentheses implies that it is a "reserve symbol", to be used when, in a particular context, the main symbol is in use with a different meaning.

0.3 Tables of units

0.3.1 General

Units for the corresponding quantities are given together with the international symbols and the definitions. For further information, see ISO 31-0.

The units are arranged in the following way:

a) The names of the SI units are given in large print (larger than text size). The SI units have been adopted by the General Conference on Weights and Measures (Conference Générale des Poids et Mesures, CGPM). The SI units and their decimal multiples and sub-multiples are recommended, although the decimal multiples and sub-multiples are not explicitly mentioned.

b) The names of non-SI units which may be used together with SI units because of their practical importance or because of their use in specialized fields are given in normal print (text size).

These units are separated by a broken line from the SI units for the quantities concerned.

- c) The names of non-SI units which may be used temporarily together with SI units are given in small print (smaller than text size) in the "Conversion factors and remarks" column.
- d) The names of non-SI units which should not be combined with SI units are given only in annexes in some parts of ISO 31. These annexes are informative and not integral parts of the standard. They are arranged in three groups:
 - 1) special names of units in the CGS system;
 - names of units based on the foot, pound and second and some other related units;
 - 3) names of other units.

0.3.2 Remark on units for quantities of dimension one

The coherent unit for any quantity of dimension one is the number one (1). When the value of such a quantity is expressed, the unit 1 is generally not written out explicitly. Prefixes shall not be used to form multiples or submultiples of this unit. Instead of prefixes, powers of 10 may be used.

EXAMPLES

Refractive index $n = 1.53 \times 1 = 1.53$

Reynolds number $Re = 1.32 \times 10^3$

Considering that plane angle is generally expressed as the ratio between two lengths, and solid angle as the ratio between an area and the square of a length, the CIPM specified in 1980 that, in the International System of Units, the radian and steradian are dimensionless derived units. This implies that the quantities plane angle and solid angle are considered as dimensionless derived quantities. The units radian and steradian may be used in expressions for derived units to facilitate distinction between quantities of different nature but having the same dimension.

0.4 Numerical statements

All numbers in the "Definition" column are exact.

When numbers in the "Conversion factors and remarks" column are exact, the word "exactly" is added in parentheses after the number.

0.5 Special remarks

0.5.1 General

The explanations in the "Definition" column for quantities assume that systems will normally be linear.

When it is necessary to use subscripts to avoid confusion between similar symbols in different fields, the subscript "a" is recommended for use in acoustics.

0.5.2 Remark on logarithmic quantities and units

The expression for the time dependence of a damped harmonic oscillation can be written either in real notation or as the real part of a complex notation

$$F(t) = Ae^{-\delta t}\cos \omega t = Re(Ae^{(-\delta + j\omega)t})$$

This simple relation involving δ and ω can be obtained only when e (base of natural logarithms) is used as the base of the exponential function. The coherent SI unit for the damping coefficient δ and the angular frequency ω is second to the power minus one, 1/s. Using the special names neper, Np, and radian, rad, for the units of δt and ωt respectively, the units for δ and ω become neper per second, Np/s, and radian per second, rad/s, respectively. Neper and radian are special names for the "dimensionless" unit one, 1. The neper is used as a unit for logarithmic quantities; the radian is used as a unit for plane angles and for the phase of circular functions.

Corresponding variation in space is treated in the same manner

$$F(x) = Ae^{-\alpha x}\cos \beta x = Re(Ae^{-\gamma x}), \qquad \gamma = \alpha + j\beta$$

where the unit for α is neper per metre, Np/m, and the unit for β is radian per metre, rad/m.

In ISO 31, the level of a field quantity is therefore defined as the natural logarithm of a ratio of two amplitudes, $L_F = \ln(F/F_0)$, and is hence a quantity of dimension one. The unit neper (= the number 1) is the level of a field quantity when $F/F_0 = e$.

Since power is often proportional to the square of an amplitude, a factor 1/2 is introduced in the definition of the level of a power quantity $L_P = (1/2) \ln(P/P_0)$ in order to make the level of the power quantity under these circumstances equal to the level of the field quantity.

In practice the non-coherent unit degree, ...°, $(1^{\circ} = \pi/180 \text{ rad})$ is often used for angles and the non-coherent unit bel, B, $[1 \text{ B} = (1/2) \text{ In } 10 \text{ Np} \approx 1,151 \text{ 293 Np}]$ based on common logarithms (base 10) for logarithmic quantities. Instead of the bel, its sub-multiple the decibel, dB, is commonly used.

Quantities and units —

Part 7:

Acoustics

1 Scope

This part of ISO 31 gives names and symbols for quantities and units of acoustics. Where appropriate, conversion factors are also given.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 31. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 31 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO

maintain registers of currently valid International Standards.

ISO 16:1975, Acoustics — Standard tuning frequency (Standard musical pitch).

ISO 31-2:1992, Quantities and units — Part 2: Periodic and related phenomena.

ISO 131:1979, Acoustics — Expression of physical and subjective magnitudes of sound or noise in air.

3 Names and symbols

The names and symbols for quantities and units of acoustics are given on the following pages.

ISO 31-7:1992(E)

ACOUS	ACOUSTICS Quantities					
Item No.	Quantity	Symbol	Definition	Remarks		
7-1	period, periodic time	Т	Time of one cycle			
7-2	frequency	f, v	f = 1/T	For the standard tuning frequency (standard musical pitch), see ISO 16.		
7-3	frequency interval	; .	For two tones, the binary log- arithm of the ratio of the higher frequency to the lower fre- quency			
7-4	angular frequency, pulsatance	ω	$\omega = 2\pi f$			
7-5	wavelength	2	Distance in the direction of propagation of a periodic wave between two successive points where at a given time the phase is the same			
7-6 (—)	repetency, wavenumber	σ	$\sigma = 1/\lambda$	The vector quantities σ and k corresponding to repetency and angular repetency are called wave vector and propagation vector respectively.		
7-7 (7-6.1)	angular repetency, angular wavenumber	k	$k=2\pi\sigma$			
7-8 (<i>7-7.1</i>)	volumic mass, mass density, density	Q	Mass divided by volume			

Units	<u>Units</u> ACOUSTICS					
item No.	Name of unit	International symbol for unit	Definition	Conversion factors and remarks		
7-1.a	second	s				
7-2.a	hertz	Hz	1 Hz = 1 s ⁻¹	1 Hz is the frequency of a periodic phenomenon of which the period is 1 s.		
7-3.a	octave		The frequency interval between f_1 and f_2 is one octave if $f_2 f_1=2$	The numerical value of the frequency interval in octaves is given by $lb(f_2 f_1)$, $(f_2 \ge f_1)$.		
7-4.a	radian per second	rad/s				
7-4.b	reciprocal second, second to the power minus one	s ⁻¹				
7-5.a	metre	m				
7-6.a	reciprocal metre, metre to the power minus one	m ⁻¹				
7-7.a	radian per metre	rad/m				
7-7.b	reciprocal metre, metre to the power minus one	m ⁻¹				
7-8.a	kilogram per cubic metre	kg/m ³				

ACOUS	ACOUSTICS (continued) Quantities						
item No.	Quantity	Symbol	Definition	Remarks			
7-9.1 (<i>7-8.1</i>)	static pressure	$p_{\mathfrak{g}}$	Pressure that would exist in the absence of sound waves				
7-9.2 (<i>7-8.2</i>)	(instantaneous) sound pressure	p. (p _a)	Difference between the instantaneous total pressure and the static pressure	When any of the quantities 7-9.2 to 7-13 inclusive is periodic, its symbol is often used			
7-10 (<i>7-9.1</i>)	(instantaneous) sound particle displacement	ξ, (x)	Instantaneous displacement of a particle in a medium from what would be its position in the absence of sound waves	without modification for its root-mean-square (r.m.s.) value.			
7-11 (<i>7-10.1</i>)	(instantaneous) sound particle velocity	и, v	$u = \frac{\partial \xi}{\partial t}$				
7-12 (7-11.1)	(instantaneous) sound particle acceleration	а	$a = \frac{\partial u}{\partial t}$				
7-13 (7-12.1)	(instantaneous) volume flow rate	q , U , (q_V)	Instantaneous rate of volume flow due to a sound wave				
7-14.1 (7-13.1)	velocity of sound, (phase velocity)	c, (c _a)	$c = \frac{\omega}{k} = \lambda f$				
7-14.2 (—)	group velocity	c_{g}	$c_{\rm g} = \frac{{\rm d}\omega}{{\rm d}k}$				
7-15 (<i>7-14</i> .1)	sound energy density, volumic sound energy	w, (w _a). (e)	Mean sound energy in a given volume divided by that volume	If the energy density varies with time, the mean must be taken over an interval during which the sound may be considered statistically stationary.			
7-16 (<i>7-15.1</i>)	sound power	P, P _B	Power emitted, transferred or received as sound waves				
7-17 (<i>7-16.1</i>)	sound intensity	I, J	For unidirectional sound power, sound power through a surface normal to the direction of propagation divided by the area of the surface				

Units ACOUSTICS (contin				
Item No.	Name of unit	International symbol for unit	Definition	Conversion factors and remarks
7-9.a	pascal	Pa		bar (bar), 1 bar = 100 kPa (exactly)
7-10.a	metre	m		
7-11.a	metre per second	m/s		
7-12.a	metre per second squared	m/s²		
7-13.a	cubic metre per second	m³/s	and defined the second	
7-14.a	metre per second	m/s		
7-15.a	joule per cubic metre	J/m³		
7-16.a	watt	W	1 H H	
7-17.a	watt per square metre	W/m²		

ACOUS	ACOUSTICS (continued) Quantities					
ltem No.	Quantity	Symbol	Definition	Remarks		
7-18	acoustic impedance	Z _a	At a surface, the complex re- presentation of sound pressure divided by the complex repres- entation of volume flow rate	In definitions 7-18 to 7-20.2, the quantities in the numerators and denominators are assumed to be sinusoidal.		
7-19	mechanical impedance	Z _m	At a surface (or at a point), the complex representation of total force divided by the complex representation of average particle velocity at that surface (or of particle velocity at that point) in the direction of the force	$Z_{\rm a}=rac{Z_{\rm s}}{A}$ $Z_{\rm m}=AZ_{\rm s}$ where A is the area of the surface considered.		
7-20.1 (<i>7-17.2</i>)	surface density of mechanical impedance	Z _s	At a surface, the complex re- presentation of sound pressure divided by the complex repres- entation of particle velocity			
7-20.2 (<i>7-17.1</i>)	characteristic impedance of a medium	Z _c	At a point in a medium and for a plane progressive wave, the complex representation of sound pressure divided by the complex representation of par- ticle velocity	For a non-dissipative medium $Z_{ m c}=carrho.$		
7-21 (<i>7-20.1</i>)	sound pressure level	L,	$L_p = \ln(p p_0) = \ln 10 \cdot \lg(p p_0)$ where p is the root-mean-square value of the sound pressure and the reference pressure p_0 is equal to 20 μ Pa	The subscript <i>p</i> is often omitted, especially when other subscripts are needed. See also ISO 31-2:1992, item No. 2-9.		
7-22 (7-21.1)	sound power level	L_W	$L_{W} = \frac{1}{2} \ln(P/P_{0}) =$ $\frac{1}{2} \ln 10 \cdot \lg(P/P_{0})$ where P is the root-mean-square value of the sound power and the reference power P_{0} is equal to 1 pW	See also ISO 31-2:1992, item No. 2-10.		
7-23 (7-22.1)	damping coefficient	δ	If a quantity is a function of time t given by $F(t) = A \mathrm{e}^{-\delta t} \cos \left[\omega (t - t_0)\right]$ then δ is the damping coefficient			

Units				ACOUSTICS (continued)
item No.	Name of unit	International symbol for unit	Definition	Conversion factors and remarks
7-18.a	pascal second per cubic metre	Pa · s/m³		
7-19.a	newton second per metre	N · s/m		
7-20.a	pascal second per metre	Pa · s/m		
7-21.a	bel	В	1 B is the sound pressure level when $2 \lg(p p_0) = 1$	See the introduction, subclause 0.5.2. Instead of the bel, B, the submultiple decibel, dB, is commonly used. Generally $L_p = 2 \lg(p p_0)$ B = 20 $\lg(p p_0)$ dB.
7-22.a	bel	В	1 B is the sound power level when $\lg(P/P_0) = 1$	See the introduction, subclause 0.5.2. Instead of the bel, B, the submultiple decibel, dB, is commonly used. Generally $L_W = \lg(P/P_0)$ B = $10 \lg(P/P_0)$ dB.
7-23.a	reciprocal second, second to the power minus one	s ⁻¹		
7-23.b	neper per second	Np/s		

item No.	Quantity	Symbol	Definition	Remarks
7-24 (<i>7-23.1</i>)	time constant, relaxation time	τ	$ au=1/\delta$ where δ is the damping coefficient	
7-25 (7-24,1)	logarithmic decrement	Λ	Product of damping coefficient and period. $A = \delta T$	
7-26.1 (<i>7-25.1</i>)	attenuation coefficient	σί	If a quantity is a function of distance x given by $F(x) = Ae^{-\alpha x} \cos [\beta(x-x_0)]$ then α is the attenuation coefficient and β is the phase coefficient	The quantity $1/\alpha$ is called the attenuation length. $m=2\alpha$ is called the power attenuation coefficient. When there is risk of confusion with 7-27.4, $m/2$ is used instead of α for the attenuation coefficient.
7-26.2 (<i>7-25.2</i>)	phase coefficient	β		The quantity $\beta(x-x_0)$ is called the phase.
7-26.3 (<i>7-25.3</i>)	propagation coefficient	γ	$\gamma = \alpha + j\beta$	k' = -jy is the complex angular wavenumber.
7-27.1 (<i>7-26.1</i>)	dissipation factor, dissipance	δ, ψ	Ratio of the dissipated sound power to the incident sound power	
7-27.2 (<i>7-26.2</i>)	reflection factor, reflectance	r, (g)	Ratio of the reflected sound power to the incident sound power	
7-27.3 (<i>7-26.3</i>)	transmission factor, transmittance	τ	Ratio of the transmitted sound power to the incident sound power	$\delta + r + \tau = 1$
7-27.4 (<i>7-26.4</i>)	absorption factor, absorbance	α, (α _a)	Ratio of the dissipated and transmitted sound power to the incident sound power	$\alpha = \delta + \tau$
7-28 (7-27.1)	sound reduction index	R	$R = \frac{1}{2} \ln(1/\tau) =$ $\frac{1}{2} \ln 10 \cdot \lg(1/\tau)$ where τ is the transmission factor	

Units ACOUSTICS (contin					
Item No.	Name of unit	International symbol for unit	Definition	Conversion factors and remarks	
7-24.a	second	s			
7-25.a	neper	Np		See the introduction, subclause 0.5.2.	
7-26.a	reciprocal metre, metre to the power minus one	m ⁻¹		α and β are often given in Np/m and rad/m respectively.	
7-27.a	one	1		See the introduction, subclause 0.3.2.	
7-28.a	bel	В	1 B is the sound reduction index when $\lg(1/\tau) = 1$	See the introduction, subclause 0.5.2. Instead of the bel, B, the submultiple decibel, dB, is commonly used. Generally $R = \lg(1/\tau)$ B = 10 $\lg(1/\tau)$ dB.	

ACOUS	ACOUSTICS (concluded) Quantities						
item No.	Quantity	Symbol	Definition	Remarks			
7-29 (7-28.1)	equivalent absorption area of a surface or object	A	In a diffuse sound field, that area of a surface having an absorption factor equal to 1, which, if diffraction effects are neglected, would, in the same diffuse sound field, absorb the same power				
7-30 (7-29.1)	reverberation time	Τ	Time required for the average sound energy density in an enclosure to decrease to 10 ⁻⁶ of its initial value (i.e. by 60 dB) after the source has stopped				
7-31 (<i>7-30.1</i>)	loudness level	L _N	$L_{N}=\ln(p_{\mathrm{eff}}/p_{0})_{1~\mathrm{kHz}}=$ ln $10\cdot\lg(p_{\mathrm{eff}}/p_{0})_{1~\mathrm{kHz}}$ where p_{eff} is the root-mean-square value of the sound pressure of a pure tone of 1 kHz, which is judged by a normal observer under standardized listening conditions as being as loud as the sound under investigation, and where $p_{0}=20~\mu\mathrm{Pa}$	See also ISO 31-2. These are not purely physical quantities, but entail subjective evaluation.			
7-32 (7-31.1)	loudness	N	A normal observer's auditory estimate of the ratio between the strength of the sound considered and that of a reference sound having a loudness level of 40 phons				

Units	Units ACOUSTICS (concluded						
item No.	Name of unit	International symbol for unit	Definition	Conversion factors and remarks			
7-29.a	square metre	m ²					
7-30.a	second	S					
7-31.a	phon		1 phon is the loudness level when 2 $\lg(p_{\rm eff}/p_0)_{1 \text{ kHz}} = 0.1$	Generally $L_N = 20 \lg(p_{\text{eff}} p_0)_{1 \text{ kHz}}$ phon. For a pure tone of frequency 1 kHz, 1 phon \triangleq 1 dB.			
7-32.a	sone			A standard relation between loud- ness in sones and loudness level in phons has been adopted for practical use and is given in ISO 131.			

ISO 31 PT*7 92 ■ 4851403 0508078 821 ■

ISO 31-7:1992(E) o ISO

UDC 389.15./.16:534:006.72

Descriptors: system of units, units of measurement, international system of units, quantities, acoustics, symbols, definitions, conversion of units, conversion factor.

Price based on 11 pages