INTERNATIONAL STANDARD

ISO 15609-3

First edition 2004-08-01

Specification and qualification of welding procedures for metallic materials — Welding procedure specification —

Part 3:

Electron beam welding

Descriptif et qualification d'un mode opératoire de soudage pour les matériaux métalliques — Descriptif d'un mode opératoire de soudage —

Partie 3: Soudage par faisceau d'électrons



ISO 15609-3:2004(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 15609-3 was prepared by the European Committee for Standardization (CEN) in collaboration with Technical Committee ISO/TC 44, *Welding and allied processes*, Subcommittee SC 10, *Unification of requirements in the field of metal welding*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This first edition cancels and replaces ISO 9956-10:1996 which has been technically revised.

Throughout the text of this document, read "...this European Standard..." to mean "...this International Standard...".

ISO 15609 consists of the following parts, under the general title *Specification and qualification of welding procedures for metallic materials* — *Welding procedure specification*:

- Part 1: Arc welding
- Part 2: Gas welding
- Part 3: Electron beam welding
- Part 4: Laser beam welding
- Part 5: Resistance welding

Con	Contents		
Forev	vord	v	
1	Scope	1	
2	Normative references	1	
3	Terms and definitions	1	
4	Technical content of welding procedure specification (WPS)	3	
4.1	General		
4.2	Welding process		
4.3	Related to the manufacturer	3	
4.4	Equipment used	3	
4.5	Related to the parent materials		
4.6	Filler or other additional material(s)	4	
4.7	Joint design		
4.8	Joint preparation		
4.9	Jigs, fixtures and tooling		
4.10	Welding position		
4.11	Back and/or front support		
4.12	Magnetism		
4.13	Welding technique		
4.14	Welding parameters		
4.15	Pre and post weld heating		
4.16	Operations after welding		
Anne	x A (informative) Example of a Welding Procedure Specification for electron beam welding	c	

Foreword

This document (EN ISO 15609-3:2004) has been prepared by Technical Committee CEN /TC 121, "Welding", the secretariat of which is held by DIN, in collaboration with ISO/TC 44 "Welding and allied processes".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2005, and conflicting national standards shall be withdrawn at the latest by February 2005.

This document supersedes EN ISO 9956-10:1996.

Annex A is informative.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

1 Scope

This standard specifies requirements for the content of welding procedure specifications for electron beam welding.

This standard is part of a series of standards, details of this series are given in EN ISO 15607:2003, annex A.

Variables listed in this standard are those influencing the quality and properties of the welded joint.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 4063, Welding and allied processes — Nomenclature of processes and reference numbers (ISO 4063:1998).

EN ISO 6947, Welds — Working positions — Definitions of angles of slope and rotation (ISO 6947:1993).

EN ISO 15607:2003, Specification and qualification of welding procedures for metallic materials — General rules (ISO 15607:2003).

3 Terms and definitions

For the purposes of this European Standard, the terms and definitions given in EN ISO 15607:2003 and the following apply.

3.1

slope up

controlled increase of the beam power at the beginning of welding

3.2

slope down

controlled decrease of the beam power at the end of welding. The slope down region is the region on the workpiece in which the effects of slope down occur. It can consist of one or two areas, depending on the selected welding mode:

- a) in full penetration welding:
 - a region where beam penetration is still complete;
 - a region where penetration is partial or decreasing.
- b) in partial penetration welding:
 - a region where penetration decreases continuously.

ISO 15609-3:2004(E)

3.3

working distance

distance between the surface of the workpiece and a standard reference point of the equipment which is traceable to the true focusing lens centre

NOTE This is a practical reference distance only.

3.4

tacking pass

pass made to hold the parts to be welded in proper alignment until the final welds are made

NOTE This may be produced by a continuous or discontinuous pass with partial penetration.

3.5

welding pass

pass ensuring fusion to the required depth

3.6

cosmetic pass

pass for superficial remelting of the weld in order to enhance its appearance

NOTE This pass is made with a defocused or oscillating beam.

3.7

overlap

portion of the welding pass remelted prior to the slope down

back or front support

plate placed against the workpiece on either the back or front face of the joint in order to retain the molten weld metal

3.9

beam current

value of the electric current in the beam

3.10

beam current pulsing

intentional periodic variation of the beam current

3.11

focusing lens current

current passing through the focusing lens coil

3.12

beam deflection

electromagnetic deflection of the beam from the gun axis

3.13

beam oscillation

an intentional periodic deflection of the beam, achieved by electromagnetic forces

NOTE An oscillation is defined by:

- signal shape e.g. circular, transversal, longitudinal,...;
- the signal amplitude;
- the frequency;
- the orientation in relation to the welding direction.

4 Technical content of welding procedure specification (WPS)

4.1 General

The welding procedure specification (WPS) shall provide all information required to make a weld.

Welding procedure specifications may cover a certain range of thicknesses of the joined parts and may also cover a range of parent metals and even filler metals. Some manufacturers may additionally prefer to prepare work instructions for each specific job as part of the detailed production planning.

Information listed below is adequate for most welding operations. For some applications it may be necessary to supplement or reduce the list. The relevant information shall be specified in the WPS.

Ranges and tolerances, according to the manufacturer's experience, shall be specified when appropriate.

An example of a typical WPS format is shown in annex A.

4.2 Welding process

The welding process number is 51 in accordance with EN ISO 4063.

4.3 Related to the manufacturer

—	Identification of the manufacturer;
	identification of the WPS;
_	reference to the welding procedure qualification record (WPQR) or other documents, as required.

4.4 Equipment used

 Electron beam	welding	equipment,	unique	identification:
		o 9 op ,	o	

— electron	gun	type;
------------	-----	-------

— cathode	ty	pe
-----------	----	----

 Filler material(s) feeding system (if any): a description (schematic) showing design, position of the filler material(s) feeding system in relation to joint, welding direction and welding point shall be provided.

4.5 Related to the parent materials

4.5.1 Parent material type/grade

—	Designation of the material(s)	and any backing	plates or supports used	l and anv reference s	standard(s)
	3	,		· · · , · · · · · · ·	(-)

— identification of the type of product (e.g. forged, cast, rolled, extruded).

A WPS may cover a group of materials.

4.5.2 Dimensions of materials

- Thickness range of the joint;
- for circular workpieces the range of outside diameters.

ISO 15609-3:2004(E)

4.6 Filler or other additional material(s)

- the designation and reference standard for any filler material(s) or other additional material(s) used in the joint;
- the dimensions of any filler material(s) or other additional material(s) used in the joint;
- any special handling instructions for any filler material(s) or other additional material(s) used in the joint.

4.7 Joint design

A sketch showing the joint design/configuration, dimensions and tolerances, including surface finish, or reference to another standard which provides this information.

4.8 Joint preparation

- Joint preparation method, cleaning, degreasing etc.;
- for magnetic materials any recommendation will be specified on the WPS, if necessary;
- any necessary protection/shielding of the prepared joint.

4.9 Jigs, fixtures and tooling

The methods to be used for workpiece fixturing (including manual tack welding, if used).

4.10 Welding position

Applicable welding positions in accordance with EN ISO 6947.

4.11 Back and/or front support

Type(s) and dimensions (if any).

4.12 Magnetism

If necessary, the components should be demagnetised using a qualified procedure with a reference number.

4.13 Welding technique

The welding technique sketch showing details of all welding passes (tacking pass, welding pass, cosmetic pass).

4.14 Welding parameters

4.14.1 Electrical parameters

- Accelerating voltage in kilovolts (kV);
- beam current in milliamperes (mA) (pulse parameters if pulsing used);
- focusing lens current(s) in amperes (A), current control device setting(s) (arbitrary units) or focus position with respect to workpiece surface;
- beam deflection:
 - 1) direct current (DC) deflection, dimensions at workpiece surface;
 - 2) alternating current (AC) oscillation: shape, and orientation with respect to the welding direction, frequency in hertz (Hz), dimensions (mm of deflection);

4.4	4.44.2. Mashaniaal navamatara				
_	slope profile.				
_	overlap, slope up, slope down [in seconds (s), millimetres (min) or degrees (deg)],				

averton along up, along down fin accords (a) millimatros (mm) or degrees (degile

4.14.2 Mechanical parameters

- Travel direction;
- surface travel speed (mm/min or mm/s);
- travel speed ramping details (if necessary);
- wire/filler feed rate, direction, position and angle.

4.14.3 Other parameters

- Working distance in millimetres (mm) and/or gun to work distance;
- pressure in the gun in pascals (Pa) or millibars (mbar);
- pressure in the chamber in pascals (Pa) or millibars (mbar).

4.15 Pre and post weld heating

If preheating and/or post heating and/or post weld heat treatment are required, the temperature and time at temperature shall be included on the WPS complete with any other instructions related to the heat treatment. If the electron beam is to be used for pre or post heating, the relevant parameters shall be recorded on the WPS.

4.16 Operations after welding

Any mechanical and/or chemical and/or heat treatment.

Annex A

(informative)

Example of a Welding Procedure Specification for electron beam welding (process 51)

WPS identific	cation:				
Manufacture	r:				
WPQR N°:					
Equipment ic	lentification :	welding mach gun type: cathode type filler material			
Parent mater	rial specification	: 1: 2:			
- ma	terial thickness	(mm): 1: 2:	— outsic	de diameter (n	nm):
Filler or othe	r additional mate	erial: — designa	ation: — dime	nsions:	— handling:
Joint type:	— s	heet or plate □	— cylindrical □	— axia — rad — oth	ial □
		Joint design		Welding	technique
		·		Ţ	·
Jigs, fixtures		yes □ chanically fixed: k weld; process:	no 🗆		
Back suppor	t∶ yes □	no □	Front support:	yes □	no □

Preparation:					
Demagnetisation procedure reference number:					
Procedure					
	Tacking pass	Welding pass	Cosmetic pass		
Welding position	J J J	<u> </u>	, , , , , , , , , , , , , , , , , , ,		
Welding technique					
Accelerating voltage (kV)					
Beam current (mA)					
— continuous					
— pulse:					
- frequency:					
- amplitude:					
- other:					
Focusing lens current(s)(A) or					
Focus setting					
Beam deflection					
— DC deflection					
— AC oscillation					
— shape					
— frequency (Hz) — dimensions :					
-longitudinal					
- transverse					
Overlap (s, mm or deg)					
Slope up (s, mm or deg)					
Slope down (s, mm or deg)					
Slope profile					
Travel direction					
Surface travel speed (mm/min or mm/s)					
Travel speed ramping ^a					
Wire/filler feed rate ^a					
Working distance (mm)					
Gun pressure (mbar or Pa)					
Chamber pressure (mbar or Pa)					
Additional equipment					
— Preheating ^a					
— Postheating ^a					
Operations after welding ^a					
Additional information					
, addition in our matter					
a If required					
Manufacturer					

(name, signature, date)



ICS 25.160.10

Price based on 7 pages