# TECHNICAL REPORT

# ISO/TR 22790

First edition 2007-12-01

# Health informatics — Functional characteristics of prescriber support systems

Informatique de santé — Caractéristiques fonctionnelles des systèmes de support prescripteur



#### PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below



#### **COPYRIGHT PROTECTED DOCUMENT**

#### © ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

# **Contents** Page

| Forev      | word   | iv |
|------------|--|----|
| Intro      | ductionduction   | v  |
| 1          | Scope  | 1  |
| 2          | Terms and definitions  | 1  |
| 3          | Medication related communication — General model   | 4  |
| 3.1        | Co-operating parties   |    |
| 3.2        | Information content  |    |
| 3.3        | Scenarios for electronic communication   |    |
| 4          | The components of a prescription support system  |    |
| 4.1        | Functional overview  |    |
| 4.2        | Information needed for prescription support  |    |
| 5          | Detailed list of possible requirements   |    |
| 5.1        | The intended use   |    |
| 5.2        | Assessing the patient's need for medication  |    |
| 5.3<br>5.4 | Selecting a medication that can give an optimal result for the patient and current problem Making cost conscious selections that can contribute to the cost containment of the |    |
|            | insurance or publicly funded health care system as well as patient costs   |    |
| 5.5        | Issuing a complete prescription in a time efficient manner   |    |
| 5.6        | Transfer the information to a pharmacy   |    |
| 5.7        | Communicating the medication order to the patient  |    |
| 5.8        | Communicating the medication orders to other healthcare professionals  |    |
| 5.9        | Periodically follow up the total prescribing by the prescriber and/or unit in this system  | 18 |
| Biblio     | ography  | 19 |

ISO/TR 22790:2007(E)

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In exceptional circumstances, when a technical committee has collected data of a different kind from that which is normally published as an International Standard ("state of the art", for example), it may decide by a simple majority vote of its participating members to publish a Technical Report. A Technical Report is entirely informative in nature and does not have to be reviewed until the data it provides are considered to be no longer valid or useful.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TR 22790 was prepared by Technical Committee ISO/TC 215, Health informatics.

#### Introduction

Medication is an effective means of improving health though the use of medication is costly and introduces risks to patient safety. Many countries have listed information systems to improve the processes related to prescribing, as a top priority for health IT. However, the great differences between countries regarding information on medicinal products makes it difficult to develop international standards for all the relevant aspects. This informative document provides an agreed description of the various functionalities and information used in a common terminology is intended to be helpful for the development of prescriber support solutions and for the procurement processes of such systems.

# Health informatics — Functional characteristics of prescriber support systems

#### 1 Scope

This Technical Report provides a common conceptual model of information management related to the process of prescribing or ordering medication. This Technical Report provides a set of optional business requirements that could be selected by the buyer in a procurement process to be responded to by a tendering supplier. This report shall not provide any mandatory requirements but, as an informative document, give a common expression of various possible functions meeting different objectives for the health care system.

This document is intended to be used as a guide for a specific organization in formulating and prioritizing a subset of characteristics tailored to national or local needs. The complete list here is thus not intended to be a minimum set of requirements that all systems must comply with. There may also be good reasons to further specify the generic characteristics presented here and to add other characteristics.

This Technical Report contains the following sections:

- a) introduction to concepts with agreed definitions and recommended terms;
- b) overview of the relationships between different actors and information flows;
- c) overview of the functional model taking as its starting point the objectives of the health care system;
- d) overview of the different information resources needed to achieve the requirements;
- e) a list of detailed characteristics to select from in a procurement process.

The last part e) in Clause 6 is the main part of this Technical Report.

#### 2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 2.1

#### active ingredient

ingredient that alone or in combination with one or more other ingredients is considered to fulfil the intended activity of a medicinal product

[ENV 12610]

#### 2.2

#### central prescription store

repository for electronic prescriptions in a geographical area which receives prescriptions from several prescriber locations and serves several, possibly all, pharmacies in that area

#### ISO/TR 22790:2007(E)

#### 2.3

# magistral medicinal product

#### extemporaneous medicinal product

medicinal product manufactured in a pharmacy or a pharmacy department based on a recipe and intended to be used for one and only one subject of care

NOTE A magistral medicinal product is also a pharmaceutical product.

[ENV 12610 (modified)]

#### 2.4

#### medicinal appliance

device or piece of equipment that may be used by human beings or administered to animals for treating or preventing disease, with the view to making medical diagnosis, to restore, correct or modify physiological functions or to alleviate handicap

In order to be prescribable a medicinal appliance should fall within the purpose of prescribing as accepted by NOTE local rules/traditions in the area. The production of a prescription may also be required for formal reimbursement, restrictions on general sale of the appliance or need for labelling the appliance with individual instructions for use.

Syringes, spacers for inhalation, diagnostic kits for pregnancy, bandages, catheters, nappies for incontinence, orthopaedic shoes, colostomy bags, wheel chairs, pneumatic mattresses.

[ENV 12610]

#### 2.5

#### medicinal product

any substance or combination of substances, which may be administered to human beings or animals for treating or preventing disease, with the view to making medical diagnosis or to restore, correct or modify physiological functions

Some medicinal products are prescribed as a combination of a medicinal product and a medicinal appliance. Such combinations are regarded in this Technical report as medicinal products.

[ENV 12610]

#### 2.6

#### medicinal product package

#### package

delivery unit of a medicinal product in an outer container

[ENV 12610]

#### 2.7

#### medication order

documented instruction on intended therapy for an individual person with a medicinal product issued by an authorized health professional

A medication order contains information on the medicinal product(s), the intended dosage instruction and the period of time during which the medication was intended to be given.

#### 2.8

#### medication record

record related to an individual person, which includes information about prescribed medicinal products, the intended dosage instruction and the period of time during which the medication was intended to be given

A medication record should preferably contain information not only on medicinal products prescribed for community dispensation and home care but also medication ordered for administration to in-patients in hospital care.

NOTE 2 A medication record should be updated even when no prescription is issued to reflect current dosage and possible withdrawal of prescribed medication.

NOTE 3 A medication record considered here is part of the more general concept Electronic Health Record and as such other information should be associated to the core information in the definition such as date and place of recording, responsible person, signature etc.

#### 2.9

#### payment guarantor

organization responsible for the total or partial reimbursement or payment of the price of the medicinal product

#### 2.10

#### pharmaceutical product

product consisting of one or more ingredients

- NOTE 1 A pharmaceutical product may have a different pharmaceutical form from the final intended medicinal product.
- NOTE 2 This Technical Report does not make a distinction between a bulk product, an intermediate or a final product.
- EXAMPLE 1 An amount of penicillin powder and physiologic solution to be mixed together are both pharmaceutical products. They are both part of a medicinal product, e.g. Combicillin 1 g.

EXAMPLE 2 Adepal (Fr) is a medicinal product with two types of tablets containing ethinyloestradiol and progresterone in different ratio composition. Each of these tablets are pharmaceutical products. They are both part of this medicinal product.

#### 2.11

#### prescriber

healthcare person authorized to issue prescriptions

#### 2.12

#### prescribing

process of creating a prescription

#### 2.13

#### prescription

direction created by an authorized healthcare person, to instruct a dispensing agent regarding the preparation and use of a medicinal product or medicinal appliance to be taken or used by a subject of care

#### [ENV 13607]

NOTE The term prescription alone should be avoided as it is colloquially used at random for the following terms used in prescription message standards: new prescription message, prescription set and prescription item. Further, it is also used to describe a prescription paper form. The use of the terms prescription set, prescription item and new prescription message, where appropriate, is recommended.

#### 2.14

#### prescription item

specification created by an authorized healthcare person, to instruct a dispensing agent regarding the preparation and use of single medicinal product/medicinal appliance or to inform other parties following dispensing regarding the preparation and use of a single dispensed medicinal product/medicinal appliance

NOTE A prescription item may contain administrative details needed for dispensing or derived from dispensing, but does not contain information about the prescriber or the subject of care for whom the prescription item is prescribed or to whom it has been dispensed.


#### 2.15

#### prescription set

collection of one or more prescription item(s) prescribed and/or dispensed as a unit

#### 3 Medication related communication — General model

#### 3.1 Co-operating parties



NOTE This figure only depicts the core relationships essential for the provision of quality care. Communication with various bodies related to payment issues vary between countries and are considered outside the scope of this TR.

Figure 1 — Co-operating parties for prescription of medication

#### 3.2 Information content

#### 3.2.1 Prescriptions and medication orders

A prescription in this context is a direction of an authorized health professional (often a physician but in some countries also other professions have at least limited prescription rights) to a dispensing agent here called a pharmacy to dispense medicinal products to a patient.

Prescriptions have traditionally been made on paper forms or in some countries also oral prescriptions via telephone occur. Nowadays prescriptions may also be transferred electronically as structured data often referred to as messages or sometimes documents, a distinction which is not necessary for the purposes of this Technical Report.

There has been a confusing use of the term prescription which may be taken to mean either what is here defined as a prescription item for a single medicinal product or a set of prescription items grouped together on a form or an electronic message.

A medication order is a term that sometimes includes prescriptions as defined here but which also and preferably denotes the instruction by a physician to a nurse in a hospital to administrate medication to a specific patient. Such medication orders will in some countries be checked and be executed via a hospital pharmacy whereas medication orders in in-patient settings in other countries do not include pharmacists at all. There are certainly many similar characteristics of the requirements for IT systems supporting medication orders and for prescriptions and thus much of what is said in this document applies to both. However, there

are some requirements described herein that are not relevant (in case a pharmacy is not involved) and there are additional detailed requirements that should be made on systems, to support hospital ward medication management, that are not covered.

In many countries there are different classes of medicinal products that require special handling, e.g. for what is called narcotics or controlled substances. Since these vary considerably we do not attempt to detail such requirements in this document.

In some countries medication can be prescribed for single dose packaging performed by the dispenser where a period of treatment is specified rather than a total amount. This is a growing and important type of prescription that is included in the set of requirements even if it is by no means mandatory to support.

#### 3.2.2 Medication Record

In this technical report Medication Record means a record kept or at least made available to the prescribers of medication that has been prescribed or ordered. It may take several different forms and have various contents. It is to be regarded as a part of an Electronic Health Record although Medication Records are in some cases kept in separate systems from the rest of the health record.

The patient is often but not always authorized to read his/her EHR including the medication record. In some cases the patient also provides information directly to a medication record e.g. on the actual dosage taken which may vary over time and/or the use of medicinal products that are not obtained via prescription.

A Medication Record must, as a minimum, contain information identifying a prescribed medicinal product, the intended dosage instruction and the period of time during which the medication was intended to be given (if known).

Additional related information such as allergies to pharmaceutical products etc is not considered part of the core medication record but rather as other relevant information from the EHR even if some separate medication systems would include such information.

NOTE With this definition, a record of medication dispensed at a pharmacy is not a Medication Record unless it is available to the prescriber.

#### 3.2.3 Information on dispensed medicinal products

If information can be made available to the prescriber on what medicinal products have been dispensed to the subject of care, at least for the last year, this can be very valuable information. In some countries, e.g. Sweden, a national database is available which, with the consent of the patient, can be made available to any prescriber of the country. In other circumstances information on dispensing is sent to the person/institution that issued a prescription but no total picture is available. Information on dispensed products can often be made available to the patients just as medication records.

#### 3.2.4 Request for dispensing

In some systems with electronic transfer of prescriptions, there is a possibility of separating the transfer of the prescription from the request to dispense. The electronically transferred prescription items may be stored in a central prescription store and then, upon reques, to be transferred to an individual pharmacy for dispensing. The dispensing request may also be directed to an individual pharmacy that has received an electronic prescription, particularly when one prescription may be used to request a number of separate dispensing actions at different times.

An alternative method for transfer of the prescription information to a dispensing agent/pharmacy is the use of a portable device such as a microprocessor card held by the subject of care. In this case the request for dispensing is a verbal activity when presenting a prescription holding card to the pharmacy.




Figure 2 — State transitions of the prescription process

#### 3.2.5 Knowledge information

This includes various types of information that is needed for the prescriber support system that is not related to the individual patient. It includes relatively static lists of information on available products and "on demand" request for specific prescription situations. Also included in this category are clinical guidelines although generally clinical guideline documents may contain lots of advice on issues other than medication and may need separate software to be managed. However, functional advice on medication to be prescribed should be possible to directly interact with a prescription support system.

#### 3.2.6 Report on medicines taken

In order to obtain a complete picture of medication history it can be beneficial to also have in the outpatient situation a system of reporting the medication actually taken. This is still quite rare but implemented in some areas, particularly for patients with certain chronic diseases that are well educated on their treatment and instructed to vary dosage or use as required by current (sometimes daily) measures of objective or subjective symptoms. Various methods are applied from special devices to on-line reporting via web applications.

Another but only related issue is the reporting of compliance to physician's order which is known to be quite low. This can take the form of asking patients what medication they have actually taken over a certain period of time, irrespective of any known prescription. An alternative approach sometimes employed is to have home care teams checking the presence of packages of medicinal products (sometimes scanning bar code labels for easy entry) to be able to capture the actual medication history, of course respecting patient privacy and in dialogue with the patient or next of kin in the home.

#### 3.3 Scenarios for electronic communication

#### 3.3.1 Communication of a prescription to an identified pharmacy

The simplest sequence is the *prescriber* sending a *new prescription message* directly to the *dispensing agent*, possibly followed by a *prescription cancellation message* (these diagrams are adopted from ENV 13607).

- A new prescription message sent from prescriber to dispensing agent initiates the sequence.
- A new prescription message may be sent simultaneously to one or more alternate message receiver(s).
- A prescription cancellation message may follow, sent by the prescriber, cancelling the previously sent new prescription message. It will only have effect if received at the dispensing agent before dispensing and delivery of the medicine.
- The dispensing agent may be requested to forward the prescription cancellation message to alternate message receiver(s). This should only happen if cancellation is effective.




Figure 3 — Prescription message directly to dispensing agent

### 3.3.2 Direct communication of dispensing report messages

Another simple sequence is the *dispensing agent* sending a *prescription dispensing report message* directly to the *prescriber* and/or an *alternate destination*, informing on the medicine(s) actually dispensed, possibly followed by a prescription dispensing report cancellation message.

 The prescription dispensing report message sent from the dispensing agent to the prescriber initiates the sequence.

- A prescription dispensing report message may be sent simultaneously to one or more alternate destination(s).
- A prescription dispensing report cancellation message, sent by the dispensing agent to the same parties, may follow, cancelling the previously transmitted prescription dispensing report message.




Figure 4 — Prescription dispensing report message

#### Prescription store/relaying agent 3.3.3

In addition to the direct communication between prescriber and pharmacy there are several possible scenarios being implemented in different countries with an intermediate.

One scenario is the following with a relaying agent that is storing prescription messages, awaiting a query from a dispensing agent to select a specific prescription message.

That there are several variants to this scenario which are not important for the purposes of this Technical Report.




Figure 5 — Query service message communication, direct prescription set selection

#### 3.3.4 Communication of medication record

The availability of a medication record is essential for many of the functions desired for prescription support systems. In some systems, where all prescriptions for a patient are done by essentially only one prescriber or at least organization with one record system, this is easily available. However, in many countries the real situation may be different. A patient may be given prescriptions from several different institutions during the same period. These may be different hospitals and outpatient clinics that in many circumstances will have different record systems (products and installations). In order to provide a complete medication record for the prescriber (usually with the consent of the patient required) several approaches are being pursued in different areas.

#### a) Prospective common record

A system may require all prescribers in an area to deliver the prescription information (and possibly medication orders, e.g. changing dosage) to a certain central repository.

#### b) Search and view function on the web

A system where a common web portal allows authorized prescribers and, in some jurisdictions, the patient to request information on medication record which will generate a request to all connected separate local systems which will retrieve current medication records and deliver them to the portal for view functionality.

NOTE The view-only function does not allow the use of decision support functions looking e.g. for interactions.

#### c) Request and transfer of local medication record

A system that is informed that information on a medication record is available at another or several other organizations may issue a request for such information which is then transferred to the requester in a structured format that allows the import to the local medication record. This may be regarded as a special case of the general communication of EHR information such as described by the ISO/EN 13606 series but there may also be other specialized messages restricted to medication record information defined for this purpose in various areas.

#### d) Patient data card

Finally, patient data cards have been used in some countries to provide a medication history to all prescribers. This may or may not be combined with the function of being dispensable prescriptions. This approach may have difficulty ensuring that a card is always present when needed to be updated. On the other hand the advantage of this approach is that authorization to access may be easier to control in an international context with a card than with a database solution. This is assuming that the patient is given the access rights to his/her card and can control access for a prescriber from a foreign system (usually another country).

#### 4 The components of a prescription support system

#### 4.1 Functional overview

A prescriber support system can assist the prescriber with the following tasks:

#### 4.1.1 Assessing the patient's need for medication

Electronic health records

#### 4.1.2 Selecting a medication that can give an optimal result for the patient and current problem

- Clinical guidelines for diagnosis and therapy recommendations
- Advice on dosage and information on risks for adverse effects

#### ISO/TR 22790:2007(E)

| 4.1.3  | Making cost conscious selections that can contribute to the cost containment of the insurance |
|--------|---|
| or pub | olicly-funded health care system as well as patient costs                                     |

- Prices and comparisons of prices
- Recommendations of local drug commitee
- Consequences of the regulations for reimbursement

positive list of allowed products; negative list of disallowed; reference pricing information or fixed pricing information.

Selection of package sizes to minimize costs

#### 4.1.4 Issuing a complete prescription in a time-efficient manner

- Easy renewal from medication history
- Templates for complete prescriptions or dosage only

#### 4.1.5 Transfer the information to a pharmacy

- Via printed paper form
- Patient data card
- EDI (Electronic Data Interchange via structured messages) or other form of direct electronic communication. This can be direct to a pharmacy or via central prescription store or relaying agent

#### 4.1.6 Communicating with the patient

- Printing of patient medication list
- Electronic communication

#### 4.1.7 Communicating the medication orders to other health care professionals

- Process support to medication administration
- Shared medication histories

#### 4.1.8 Follow up

Periodically follow up the total prescribing by the prescriber and/or unit in this system

#### Information needed for prescription support

#### 4.2.1 Registered medicinal products

This refers to a list of all available medicinal products in a geographic area. This usually includes as a minimum, the name of the product, a unique identifier, dosage form and strength. It may include package sizes and prices.

#### 4.2.2 Basic pharmacological information

This refers to information about each product which, in addition to specifying the information from 4.2.1, also specifies information on indications, contra-indications and dosage recommendations but usually several more items. In the European Union, the common regulation specifies a summary of product characteristics which is available in all of the EU member states for each product.

Suppliers of such information are of two types.

- a) Manufacturers or associations of manufacturers provide information for which they are responsible. This is often channeled through a third party service provider (a database producer) to the end users. This may include additional information, see 4.2.3.
- b) Information on the products which is officially approved by the regulatory bodies in each country. The information may be provided directly by the authority or through a third party service provider. This may include additional information, see 4.2.3.

#### 4.2.3 Extended pharmacological information

This is information that provides the scientific evidence of the claims in the basic pharmacological information or additional claims on e.g. indications recommended dosages or adverse effects. The providers may be found on the open internet or assembled together by some national source at least for selected groups of medicinal products.

#### 4.2.4 Recommendations from the local drug committee and other agencies on reimbursement rules

In a health care organization, a local or regional committee may issue recommendations that are subsets of what is generally available in the country. They may simply indicate if a product is recommended or not (sometimes based on price consideration) or indicate more complicated advice dependent on indication or previous results such as when there is a recommendation of the first hand selection for e.g. hypertension and then a second choice if the first does not give the desired results. This information on reimbursement rules may include a positive list of allowed products, negative list of disallowed products, reference pricing information or fixed pricing information.

#### 4.2.5 Clinical guidelines for various problems

Clinical guidelines may be defined for a variety of purposes, many of them not structured to allow computer processing. Of interest here are clinical guidelines that provide medication advice but where the search structure take as its base a problem or diagnosis. Ideally for some of the requirements described in 4.2.6 to 4.2.8, this source should allow direct linkage from the guideline medication description that may often be in the form of a generic active ingredient name to a list of medicinal products in the prescriber support system without the need for re-entry of information. There is currently little available in a form that follows any standard.

#### 4.2.6 Patient medication history

The patient medication history includes a current medication record as well as previously prescribed medicinal products. For the core clinical decision, only the product and dosage is relevant but for other purposes so are the availability of information on amounts prescribed at certain time points and possibly the dispensed packages.

#### ISO/TR 22790:2007(E)

#### Other parts of the patient health record

For adequate decisions on medication the prescriber needs access to often large parts of a health record although certain elements are more frequently relevant:

problem or diagnosis;

NOTE Not necessarily the same as indication, c.f. cancer and pain.

- information on certain lab tests indicating renal and liver function; b)
- body mass and length; C)
- age; d)
- allergies or other hypersensitivities; e)
- f) certain genes which influence effect or metabolization.

#### Templates to ease prescribing

Such templates may contain all information, including dosage, for a certain class of patients.

#### Detailed list of possible requirements 5

#### The intended use

The purpose of this list is to give buyers and suppliers of systems a common conceptual framework to describe different requirements.

This may need to be adapted to national available knowledge resources in order to be operational.

After each standard requirement description the potential buyer, e.g. for a call for tender, indicates how important a requirement is:

- not important = 0;
- desirable = 1;
- shall be available later at a defined time = 2;
- shall be available at delivery = 3.

In the same document the supplier can specify available functionality in his product:

- the function is not available = 0;
- the function can be delivered at a defined time to be specified = 2;
- the function is available at delivery = 3.

The standard list of requirements will thus not assign any minimum requirement, only a means of defining them.

# 5.2 Assessing the patient's need for medication

| Number | Characteristic  | Buyer's<br>level | Supplier's<br>level | Comments |
|--------|---|------------------|---------------------|----------|
| 5.2.1  | While using the prescription support system, all information from the available EHR is available for inspection e.g. by flipping through different parts of the record without permanently exiting the prescription module with perhaps only partially filled information. This function may be solved by the use of different windows that are visible at the same time.                         |                  |                     |          |
| 5.2.2  | EHR information on hypersensitivity to medication is always visible in the prescription module. The system can distinguish between different levels of severity of reactions and particularly observe the regulation to display such intolerance that may cause a serious threat to the patient's life to be display with the text WARNING.   |                  |                     |          |
| 5.2.3  | The total current medication list from the unit is displayed at the start of issuing a new prescription.  |                  |                     |          |
| 5.2.4  | The list of active medication can be supplemented by importing anamnestic information from other record systems of other units or from the patient's own telling. It may be necessary to supply less complete information in such cases with a pharmacological group (perhaps an ATC or alternative code) without giving strength, dosage or amount.  |                  |                     |          |
| 5.2.5  | The patient's total current medication can be shown with additions from other health care organizations in addition to what is prescribed in the "own" unit.  NOTE the requirement here is only for a view function not that the external information is imported in a structured way to the record of the system. Summary vs. detail (dispensing vs. prescribing and information on active use). |                  |                     |          |
| 5.2.6  | The patient medication record can be imported from records of other units.  |                  |                     |          |
| 5.2.7  | Information on length, weight and relevant lab results are available in a knowledge management system of the prescriber support system without the need for explicit reading and memorizing of these data.  |                  |                     |          |

# 5.3 Selecting a medication that can give an optimal result for the patient and current problem

| Number | Characteristic   | Buyer's<br>level | Supplier's<br>level | Comments |
|--------|--|------------------|---------------------|----------|
| 5.3.1  | The system allows searching in a knowledge base with guidelines for medication treatment, taking as an entry the patient problem (or diagnosis). Indicate if the problem/diagnosis can be taken from the electronic health record (e.g. by selecting the current problem).   |                  |                     |          |
|        | Indicate which knowledge sources (from whom) and what it covers in terms of diagnoses (groups).  |                  |                     |          |
| 5.3.2  | The system allows searching on the internet to find guidelines for medication treatment. Indicate if this is a free search or a short list of available sources.   |                  |                     |          |
| 5.3.3  | The system allows the local input of guidelines for medication treatment of certain problems/diagnoses.  |                  |                     |          |
| 5.3.4  | The system includes guidelines in a form adapted for distribution to the patient.  |                  |                     |          |
| 5.3.5  | The system allows a direct link from the problem- oriented knowledge sources to the selection of specific products by "clicking" into a hierarchy rather than just viewing and remembering.  |                  |                     |          |
| 5.3.6  | The system provides basic product information provided by the market authorization holder (e.g. in Sweden FASS issued by the Swedish pharmaceutical industries). Indicate in a comment the mechanism to make this updated.   |                  |                     |          |
| 5.3.7  | The system gives access to Summary of Product Characteristics which is a European Union regulated way of uniformly describing the characteristics of a medicinal product and issued in the national language by the 27 country authorities. This is information authorized by the regulatory body.                           |                  |                     |          |
| 5.3.8  | The system gives access to the register of products available by a specific pharmacy (or a pharmacy group, in Sweden one national corporation which includes price information).   |                  |                     |          |
| 5.3.9  | The system can issue a warning for a known risk of interaction in a total analysis of the current medication record while selecting a new product. Also indicate if a warning can be issued without a new prescription but including new knowledge.  |                  |                     |          |
| 5.3.10 | The system can issue a warning if a dosage is prescribed which is outside the normal range (minimum and maximum). Indicate if only maximum dosages are provided. This may be given per dose or per day.  |                  |                     |          |
| 5.3.11 | The system gives advice on adequate dosage for a specific patient by the combination of information from the knowledge source and e.g. the following information from the EHR, age, sex, weight (surface area), renal function data e.g. creatinine (clearance) or GFR as well as recorded pregnancy, lactation and smoking. |                  |                     |          |
| 5.3.12 | The system gives access to extended pharmacological information with scientific background and evidence base for any claims on the effects.  |                  |                     |          |

# 5.4 Making cost conscious selections that can contribute to the cost containment of the insurance or publicly funded health care system as well as patient costs

| Number | Characteristic  | Buyer's<br>level | Supplier's level | Comments |
|--------|---|------------------|------------------|----------|
| 5.4.1  | The system can show price per package.  |                  |                  |          |
| 5.4.2  | The system can show price per Defined Daily Dose (DDD) or per dosage unit, or per treatment period.   |                  |                  |          |
| 5.4.3  | The system can show synonyms and similarly acting medicinal products with price comparisons. A synonym may be defined as the same seven digit ATC code. The national regulatory body defines what synonyms can be considered functionally equal and exchangeable for a cheaper product at the pharmacy. Indicate if price comparisons can be made with partially similar products e.g. using five digit ATC code. |                  |                  |          |
| 5.4.4  | Synonyms are sorted after price and/ or from recommendations of local drug committee with price shown.  |                  |                  |          |
| 5.4.5  | Recommended products are highlighted (e.g. shown in a special colour).  |                  |                  |          |
| 5.4.6  | The lowest cost products are highlighted.   |                  |                  |          |
| 5.4.7  | If the user selects a product other than the one with the lowest cost, the system will give a proposal for the selection of a cheaper product.  |                  |                  |          |
| 5.4.8  | The system can show the total cost for the patient of a single prescription or the total number of prescriptions at one instance taking into account the national regulations for reimbursement. This is very difficult in a system with differing levels of insurance coverage.  |                  |                  |          |
| 5.4.9  | The system can show a list of recommended medicinal products from the local committee.  |                  |                  |          |
| 5.4.10 | The system provides information about legal or reimbursement restrictions. See also 4.2.4.  |                  |                  |          |
| 5.4.11 | The systems provides functions for communication with a payment guarantor where required.   |                  |                  |          |
| 5.4.12 | The system can show a recommended product in a list of available synonyms.  |                  |                  |          |
| 5.4.13 | The system can show the total price of all prescriptions issued at a given time.  |                  |                  |          |
| 5.4.14 | The system can show total price per dispensing of a selected product, e.g., the two packs to be collected at one time point.  |                  |                  |          |
| 5.4.15 | The system can give assistance in selecting the lowest price of a combination of up, to three different package sizes to achieve a certain amount of product to be dispensed.   |                  |                  |          |
| 5.4.16 | The system supports the use of a test package (a small low cost pack first dispensed to the patient) and which allows the patient to pick up the larger amount after a short trial period with no further doctor interference.  |                  |                  |          |
| 5.4.17 | The system can show the amounts used and the total cost of a medication during a specified period of time. This requires that the system can obtain information from the pharmacies on the dispensed medication.  |                  |                  |          |

# 5.5 Issuing a complete prescription in a time efficient manner

| Number | Characteristic   | Buyer's<br>level | Supplier's level | Comments |
|--------|--|------------------|------------------|----------|
| 5.5.1  | The system allows the selection from the patient total medication list to renew a prescription when all aspects are copied to the new prescription form allowing changes of any part (including the selected product).                                       |                  |                  |          |
| 5.5.2  | The system allows expansion of dosage instructions from relevant abbreviations.  |                  |                  |          |
| 5.5.3  | The system allows registration and display of dosage in numerical form per dosage time point, e.g. by showing as a table head the time points as "morning", "lunch", "afternoon", "night" and where each dosage unit, e.g. a tablet is indicated as 1,1,0,1. |                  |                  |          |
| 5.5.4  | The system gives support for expansion of dosage instructions by providing a list of locally defined dosage instructions.  |                  |                  |          |
| 5.5.5  | The system provides proposals for possible/allowable dosage instructions for the specific product (or possibly form of product).   |                  |                  |          |
| 5.5.6  | The system provides support for locally-defined template prescriptions for various indications.  |                  |                  |          |
| 5.5.7  | The system provides support for the import of template prescriptions from a generally available clinical guideline document.   |                  |                  |          |

# 5.6 Transfer the information to a pharmacy

| Number | Characteristic   | Buyer's<br>level | Supplier's level | Comments |
|--------|--|------------------|------------------|----------|
| 5.6.1  | Prescription can be printed on a paper form.   |                  |                  |          |
| 5.6.2  | Prescription can be printed on a paper form with additional information in the form of bar codes.  |                  |                  |          |
| 5.6.3  | Prescriptions can be transferred electronically to an identified pharmacy using a particular messaging standard, e.g. EDIFACT MEDPRE message, ENV 13607 or HL7 v3. Indicate which one.   |                  |                  |          |
| 5.6.4  | Prescriptions can be transferred electronically to a relaying agent/prescription store from which prescriptions can later be requested and transferred. Indicate message standards used. |                  |                  |          |
| 5.6.5  | The system shall be able to handle information on requested delivery method to the patient (if not picked up).   |                  |                  |          |
| 5.6.6  | The system can manage prescriptions for single dose dispensing with required interactions with the current medication record at pharmacy.  |                  |                  |          |
| 5.6.7  | Prescriptions can be transferred to smart cards using ISO 21549-7.   |                  |                  |          |
| 5.6.8  | Prescriptions can be digitally signed using hardware token protection of keys with smart cards.  |                  |                  |          |
| 5.6.9  | Prescriptions can be digitally signed using software solutions.  |                  |                  |          |
| 5.6.10 | Transfer of prescriptions from an EDI server to the pharmacy server can be protected using encryption. Specify the standard used.  |                  |                  |          |
| 5.6.11 | Acknowledgement of receipt can be received from the pharmacy that the prescription message has been correctly received.  |                  |                  |          |
| 5.6.12 | Acknowledgement can be obtained from the pharmacy that the prescribed product can be delivered (is in stock).  |                  |                  |          |
| 5.6.13 | Information from the pharmacy can be obtained on the fact that the dispensed medication has been received by the patient or its representative.  |                  |                  |          |
| 5.6.14 | Message can be sent to the pharmacy to recall an issued prescription message.  |                  |                  |          |

#### 5.7 Communicating the medication order to the patient

| Number | Characteristic   | Buyer's<br>level | Supplier's level | Comments |
|--------|--|------------------|------------------|----------|
| 5.7.1  | The patient's total medication list can be printed.  |                  |                  |          |
| 5.7.2  | The patient's total medication list can be sent by e-mail or be made available to the patient via the web (with adequate security protection). |                  |                  |          |

### Communicating the medication orders to other healthcare professionals

| Number | Characteristic  | Buyer's<br>level | Supplier's<br>level | Comments |
|--------|---|------------------|---------------------|----------|
| 5.8.1  | The prescriber support system can communicate its locally defined patient medication record to other health care provider systems facilitating administration of medicinal products, assessment of the case history or for the prescription of new medicines. Indicate if ISO 13606 is supported for this or other standards. |                  |                     |          |

#### 5.9 Periodically follow up the total prescribing by the prescriber and/or unit in this system

| Number | Characteristic  | Buyer's<br>level | Supplier's level | Comments |
|--------|---|------------------|------------------|----------|
| 5.9.1  | The prescriber support system allows assessment of prescriptions per day, month and year of total prescriptions from one prescriber split on medicinal product and/or groups of products according to a product classification code. Amount of DDD, number of patients and prescriptions and costs shall be possible to show. |                  |                  |          |
| 5.9.2  | The prescriber support system can import information from a pharmacy system on dispensed medication related to the single prescriber.   |                  |                  |          |
| 5.9.3  | The prescriber support system allows comparisons between the profile of a single prescriber compared to the average of other groups prescribers.  |                  |                  |          |

# **Bibliography**

- [1] ENV 12610:1997, Medical Informatics Medicinal product identification
- [2] ENV 13607:2000, Health informatics Messages for the information on medicine prescriptions
- [3] ISO 13606 (all Parts), Health informatics Electronic health record communication
- [4] ISO 21549-7, Health informatics Patient healthcard data Part 7: Medication data



ICS 35.240.80

Price based on 19 pages