
From: [REDACTED] <[REDACTED]>
Sent: Tuesday, July 24, 2012 7:51 PM
To: Jeffrey Epstein
Subject: Fwd: 9 East 71st- Jeffrey Epstein

Begin forwarded message:

From: Michael Weinstein <[REDACTED] <mailto:[REDACTED]>>
Date: July 24, 2012 3:38:07 PM EDT
To: [REDACTED] <[REDACTED] <mailto:[REDACTED]>>
Subject: 9 East 71st- Jeffrey Epstein

Dear Jeffrey and [REDACTED],

I looked over the photos that we sent you and I thought it might be easier to view them this way: Please click on this link <http://mw-studio.com/Epstein>

Please let us know that you received them. I hope all is well and that you are enjoying your summer! Best,
Michael

P.S. Please keep in mind that these photos are not retouched. Once you make your 50 selects we will begin retouching.

--

MWSTUDIO
[REDACTED]

www.mw-studio.com <<http://www.mw-studio.com>>

159=I€ [REDACTED] Alias-@? 159=€ invi @@ 159=€ nega @A 159=€ cusi @B 159=€ prot-@C 159=€ acct
-@D 159=€ sdmn-@E 159=€ svr-@F 159=€ ptcl @G 159=€ atyp-@H 159=€ port @I 159=€ path-U 1
59=I€ [REDACTED] KeyClass PK 159=M€ [REDACTED] PrintName-LL 159=I€ [REDACTED] Alias-PM 159=M€ [REDACTED] Permanent LN 159=I€ [REDACTED]
Private PO 159=M€ [REDACTED] Modifiable LP 159=I€ [REDACTED] Label-TQ 159=Q€ [REDACTED]

ApplicationTag-PR 159=M01 KeyCreator-LS 159=I0 KeyTypeTT 159=Q0 KeySizeInBitsTU 159=Q0
EffectiveKeySizePV 159=M0 StartDate-LW 159=I0 EndDate-PX 159=M0

ApplicationTag-Pm 159=M+ KeyCreator-Ln 159=I+ KeyType-To 159=Q+ KeySizeInBits-Tp 159=Q+
EffectiveKeySize-Pq 159=M+ StartDate-Lr 159=I+ EndDate-Ps 159=M+

1 Sensitive 1 Tt 159=Q+00 AlwaysSensitive 1 Pu 159=M+++
 Extractable 1 Tv 159=Q+00 NeverExtractable 1 Lw 159=I+00 Encrypt 1 Lx 159=I+00
 Decrypt 1 Ly 159=I+00 Derive 1 Hz 159=E+00 Sign 1 L{ 159=I+00 Verify 1 P| 159=M+++
 SignRecover 1 T} 159=Q+00
 VerifyRecover 1 H~ 159=E+00 Wrap 1 L 159=I+00 Unwrap 1 L€ 159=I+00 KeyClass 1 P 159=M+00
 PrintName-L, 159=I+00 Alias-Pf 159=M+00 Permanent 1 L,, 159=I+00 Private 1 P... 159=M+00
 Modifiable 1 L† 159=I+00 Label-T‡ 159=Q+00

ApplicationTag-P^ 159=M KeyCreator-L% 159=I KeyType-TŠ 159=Q KeySizeInBits-T 159=Q
EffectiveKeySize-P 159=M StartDate-L 159=I EndDate-PŽ 159=M

Sensitive T 159=Q Always Sensitive P 159=M
 Extractable T' 159=Q Never Extractable L' 159=I Encrypt L" 159=I
 Decrypt L" 159=I Derive H• 159=E Sign L- 159=I Verify P- 159=M
 Sign Recover T~ 159=Q
 Verify Recover H™ 159=E Wrap Lš 159=I Unwrap L± 159=I ctyp CertType Pœ± 159=M cenc

CertEncoding P ±159=M€+|abl PrintName-Lž±159=I€+|alis |Alias-LŸ±159=I€+|subj Subject-L
±159=I€+|issu-Issuer-Pi±159=M€+|snbr

SerialNumber=Xc±159=U€+skid+9|SubjectKeyIdentifier=Te±159=Q€+hpkyl PublicKeyHash=Q(L QTXŰJ,+Pj,JLQ

Úalequy}™ ÉíÑŌáíñǒùý} úþ ħÚ‡|çÉŌ„š|μ!“*! Cleartext
public key Partitions apple: